

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau




(43) International Publication Date
29 January 2004 (29.01.2004)

PCT

(10) International Publication Number
WO 2004/009769 A2

- (51) International Patent Classification⁷: C12N
- (21) International Application Number: PCT/US2003/022444
- (22) International Filing Date: 18 July 2003 (18.07.2003)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
60/398,417 24 July 2002 (24.07.2002) US
10/294,228 14 November 2002 (14.11.2002) US
- (71) Applicant (for all designated States except US): THE TRUSTEES OF THE UNIVERSITY OF PENNSYLVANIA [US/US]; Suite 200, 3160 Chestnut Street, Philadelphia, PA 19104-6283 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): TOLENTINO, Michael, J., [US/US]; 474 South Ithan avenue, Villanova, PA 19085 (US). REICH, Samuel, Jotham [US/US]; 312 Kent Road, Bala Cynwyd, PA 19004 (US).
- (74) Agents: FRANK, George, A. et al.; Drinker Biddle & Reath LLP, One Logan Square, 18th and Cherry Streets, Philadelphia, PA 19103-6996 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- Published:
— without international search report and to be republished upon receipt of that report
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: COMPOSITIONS AND METHODS FOR siRNA INHIBITION OF ANGIOGENESIS



(57) Abstract: RNA interference using small interfering RNAs which are specific for the vascular endothelial growth factor (VEGF) gene and the VEGF receptor genes Flt1 and Flk-1/KDR inhibit expression of these genes. Diseases which involve angiogenesis stimulated by overexpression of VEGF, such as diabetic retinopathy, age related macular degeneration and many types of cancer, can be treated by administering the small interfering RNAs.

WO 2004/009769 A2

COMPOSITIONS AND METHODS FOR siRNA INHIBITION OF ANGIOGENESIS

5 Cross Reference to Related Application

This application claims the benefit of U.S. provisional patent application serial no. 60/398,417, filed on July 24, 2002, and U.S. nonprovisional patent application serial no. 10/294,228, filed November 14, 2002.

10

Reference to Government Grant

The invention described herein was supported in part by NIH/NEI grant no. R01-EY10820, EY-13410 and EY12156. The U.S. government has certain rights
15 in this invention.

Field of the Invention

This invention relates to the regulation of gene expression by small
20 interfering RNA, in particular for treating diseases or conditions involving angiogenesis.

Background of the Invention

25 Angiogenesis, defined as the growth of new capillary blood vessels or "neovascularization," plays a fundamental role in growth and development. In mature humans, the ability to initiate angiogenesis is present in all tissues, but is held under strict control. A key regulator of angiogenesis is vascular endothelial growth factor ("VEGF"), also called vascular permeability factor ("VPF"). VEGF
30 exists in at least four different alternative splice forms in humans (VEGF₁₂₁, VEGF₁₆₅, VEGF₁₈₉ and VEGF₂₀₆), all of which exert similar biological activities.

Angiogenesis is initiated when secreted VEGF binds to the Flt-1 and Flk-1/KDR receptors (also called VEGF receptor 1 and VEGF receptor 2), which are expressed on the surface of endothelial cells. Flt-1 and Flk-1/KDR are
35 transmembrane protein tyrosine kinases, and binding of VEGF initiates a cell

signal cascade resulting in the ultimate neovascularization in the surrounding tissue.

Aberrant angiogenesis, or the pathogenic growth of new blood vessels, is implicated in a number of conditions. Among these conditions are diabetic
5 retinopathy, psoriasis, exudative or "wet" age-related macular degeneration ("ARMD"), rheumatoid arthritis and other inflammatory diseases, and most cancers. The diseased tissues or tumors associated with these conditions express abnormally high levels of VEGF, and show a high degree of vascularization or vascular permeability.

10 ARMD in particular is a clinically important angiogenic disease. This condition is characterized by choroidal neovascularization in one or both eyes in aging individuals, and is the major cause of blindness in industrialized countries.

A number of therapeutic strategies exist for inhibiting aberrant angiogenesis, which attempt to reduce the production or effect of VEGF. For
15 example, anti-VEGF or anti-VEGF receptor antibodies (Kim ES et al. (2002), *PNAS USA* 99: 11399-11404), and soluble VEGF "traps" which compete with endothelial cell receptors for VEGF binding (Holash J et al. (2002), *PNAS USA* 99: 11393-11398) have been developed. Classical VEGF "antisense" or aptamer therapies directed against VEGF gene expression have also been proposed (U.S.
20 published application 2001/0021772 of Uhlmann et al.). However, the anti-angiogenic agents used in these therapies can produce only a stoichiometric reduction in VEGF or VEGF receptor, and the agents are typically overwhelmed by the abnormally high production of VEGF by the diseased tissue. The results achieved with available anti-angiogenic therapies have therefore been
25 unsatisfactory.

RNA interference (hereinafter "RNAi") is a method of post-transcriptional gene regulation that is conserved throughout many eukaryotic organisms. RNAi is induced by short (*i.e.*, <30 nucleotide) double stranded RNA ("dsRNA") molecules which are present in the cell (Fire A et al. (1998), *Nature* 391: 806-811). These
30 short dsRNA molecules, called "short interfering RNA" or "siRNA," cause the destruction of messenger RNAs ("mRNAs") which share sequence homology with the siRNA to within one nucleotide resolution (Elbashir SM et al. (2001), *Genes*

Dev, 15: 188-200). It is believed that the siRNA and the targeted mRNA bind to an "RNA-induced silencing complex" or "RISC", which cleaves the targeted mRNA. The siRNA is apparently recycled much like a multiple-turnover enzyme, with 1 siRNA molecule capable of inducing cleavage of approximately 1000 mRNA molecules. siRNA-mediated RNAi degradation of an mRNA is therefore more effective than currently available technologies for inhibiting expression of a target gene.

Elbashir SM et al. (2001), *supra*, has shown that synthetic siRNA of 21 and 22 nucleotides in length, and which have short 3' overhangs, are able to induce RNAi of target mRNA in a *Drosophila* cell lysate. Cultured mammalian cells also exhibit RNAi degradation with synthetic siRNA (Elbashir SM et al. (2001) *Nature*, 411: 494-498), and RNAi degradation induced by synthetic siRNA has recently been shown in living mice (McCaffrey AP et al. (2002), *Nature*, 418: 38-39; Xia H et al. (2002), *Nat. Biotech.* 20: 1006-1010). The therapeutic potential of siRNA-induced RNAi degradation has been demonstrated in several recent *in vitro* studies, including the siRNA-directed inhibition of HIV-1 infection (Novina CD et al. (2002), *Nat. Med.* 8: 681-686) and reduction of neurotoxic polyglutamine disease protein expression (Xia H et al. (2002), *supra*).

What is needed, therefore, are agents which selectively inhibit expression of VEGF or VEGF receptors in catalytic or sub-stoichiometric amounts.

Summary of the Invention

The present invention is directed to siRNAs which specifically target and cause RNAi-induced degradation of mRNA from VEGF, Flt-1 and Flk-1/KDR genes. The siRNA compounds and compositions of the invention are used to inhibit angiogenesis, in particular for the treatment of cancerous tumors, age-related macular degeneration, and other angiogenic diseases.

Thus, the invention provides an isolated siRNA which targets human VEGF mRNA, human Flt-1 mRNA, human Flk-1/KDR mRNA, or an alternative splice form, mutant or cognate thereof. The siRNA comprises a sense RNA strand and an antisense RNA strand which form an RNA duplex. The sense RNA strand comprises a nucleotide sequence identical to a target sequence of about 19 to about 25 contiguous nucleotides in the target mRNA.

The invention also provides recombinant plasmids and viral vectors which express the siRNA of the invention, as well as pharmaceutical compositions comprising the siRNA of the invention and a pharmaceutically acceptable carrier.

The invention further provides a method of inhibiting expression of human VEGF mRNA, human Flt-1 mRNA, human Flk-1/KDR mRNA, or an alternative splice form, mutant or cognate thereof, comprising administering to a subject an effective amount of the siRNA of the invention such that the target mRNA is degraded.

The invention further provides a method of inhibiting angiogenesis in a subject, comprising administering to a subject an effective amount of an siRNA targeted to human VEGF mRNA, human Flt-1 mRNA, human Flk-1/KDR mRNA, or an alternative splice form, mutant or cognate thereof.

The invention further provides a method of treating an angiogenic disease, comprising administering to a subject in need of such treatment an effective amount of an siRNA targeted to human VEGF mRNA, human Flt-1 mRNA, human Flk-1/KDR mRNA, or an alternative splice form, mutant or cognate thereof, such that angiogenesis associated with the angiogenic disease is inhibited.

Brief Description of the Drawings

FIGS. 1A and 1B are a histograms of VEGF concentration (in pg/ml) in hypoxic 293 and HeLa cells treated with no siRNA ("-"); nonspecific siRNA ("nonspecific"); or siRNA targeting human VEGF mRNA ("VEGF"). VEGF concentration (in pg/ml) in non-hypoxic 293 and HeLa cells is also shown. Each bar represents the average of four experiments, and the error is the standard deviation of the mean.

FIG. 2 is a histogram of murine VEGF concentration (in pg/ml) in hypoxic NIH 3T3 cells treated with no siRNA ("-"); nonspecific siRNA ("nonspecific"); or siRNA targeting human VEGF mRNA ("VEGF"). Each bar represents the average of six experiments and the error is the standard deviation of the mean.

FIG. 3 is a histogram of human VEGF concentration (pg/total protein) in retinas from mice injected with adenovirus expressing human VEGF ("AdVEGF") in the presence of either GFP siRNA (dark gray bar) or human VEGF siRNA (light

grey bar). Each bar represent the average of 5 eyes and the error bars represent the standard error of the mean.

FIG. 4 is a histogram showing the mean area (in mm^2) of laser-induced CNV in control eyes given subretinal injections of GFP siRNA (N=9; "GFP siRNA"), and in eyes given subretinal injections of mouse VEGF siRNA (N=7; "Mouse VEGF siRNA"). The error bars represent the standard error of the mean.

FIG. 5 is a schematic representation of pAAVsiRNA, a cis-acting plasmid used to generate a recombinant AAV viral vector of the invention. "ITR": AAV inverted terminal repeats; "U6": U6 RNA promoters; "Sense": siRNA sense coding sequence; "Anti": siRNA antisense coding sequence; "PolyT": polythymidine termination signals.

Fig. 6 shows histograms of the mean area (in mm^2) of laser-induced CNV in treatment in mouse eyes injected (A) subretinally or (B) intravitreally with a mouse anti-VEGF siRNA ("mVEGF1.siRNA") or control siRNA ("GFP1.siRNA"). The error bars represent the standard error of the mean. (C) is a histogram of the mean area (in mm^2) of laser-induced CNV in mouse eyes injected intravitreally with: phosphate-buffered saline with no siRNA at 1 day post-laser induction ("PBS"; CNV area measured at 14 days post-laser induction); control siRNA at 14 days post-laser induction ("GFP1.siRNA"; CNV area measured at 21 days post-laser induction); or a mouse anti-VEGF siRNA at 14 days post-laser induction ("mVEGF1.siRNA"; CNV area measured at 21 days post-laser induction). The error bars represent the standard error of the mean.

Fig. 7 is a graph of the percent of VEGF ("%VEGF") protein in mouse eyes injected sub-retinally with human anti-VEGF siRNA ("Cand5") and control siRNA ("GFP1.siRNA") at 0 (n=2; pre-siRNA injection), 6 (n=3), 10 (n=3) and 14 (n=3) days post-injection. $\%VEGF = ([VEGF] \text{ in the Cand5 eye} / [VEGF] \text{ in the GFP1.siRNA eye}) * 100$.

Detailed Description of the Invention

Unless otherwise indicated, all nucleic acid sequences herein are given in the 5' to 3' direction. Also, all deoxyribonucleotides in a nucleic acid sequence are

As used herein, "target mRNA" means human VEGF, Flt-1 or Flk-1/KDR mRNA, mutant or alternative splice forms of human VEGF, Flt-1 or Flk-1/KDR mRNA, or mRNA from cognate VEGF, Flt-1 or Flk-1/KDR genes.

As used herein, a gene or mRNA which is "cognate" to human VEGF, Flt-1 or Flk-1/KDR is a gene or mRNA from another mammalian species which is homologous to human VEGF, Flt-1 or Flk-1/KDR. For example, the cognate VEGF mRNA from the mouse is given in SEQ ID NO: 1.

Splice variants of human VEGF are known, including VEGF₁₂₁ (SEQ ID NO: 2), VEGF₁₆₅ (SEQ ID NO: 3), VEGF₁₈₉ (SEQ ID NO: 4) and VEGF₂₀₆ (SEQ ID NO: 5). The mRNA transcribed from the human VEGF, Flt-1 (SEQ ID NO: 6) or Flk-1/KDR (SEQ ID NO: 7) genes can be analyzed for further alternative splice forms using techniques well-known in the art. Such techniques include reverse transcription-polymerase chain reaction (RT-PCR), northern blotting and *in-situ* hybridization. Techniques for analyzing mRNA sequences are described, for example, in Busting SA (2000), *J. Mol. Endocrinol.* 25: 169-193, the entire disclosure of which is herein incorporated by reference. Representative techniques for identifying alternatively spliced mRNAs are also described below.

For example, databases that contain nucleotide sequences related to a given disease gene can be used to identify alternatively spliced mRNA. Such databases include GenBank, Embase, and the Cancer Genome Anatomy Project (CGAP) database. The CGAP database, for example, contains expressed sequence tags (ESTs) from various types of human cancers. An mRNA or gene sequence from the VEGF, Flt-1 or Flk-1/KDR genes can be used to query such a database to determine whether ESTs representing alternatively spliced mRNAs have been found for a these genes.

A technique called "RNAse protection" can also be used to identify alternatively spliced VEGF, Flt-1 or Flk-1/KDR mRNAs. RNAse protection involves translation of a gene sequence into synthetic RNA, which is hybridized to RNA derived from other cells; for example, cells from tissue at or near the site of neovascularization. The hybridized RNA is then incubated with enzymes that recognize RNA:RNA hybrid mismatches. Smaller than expected fragments indicate the presence of alternatively spliced mRNAs. The putative alternatively

spliced mRNAs can be cloned and sequenced by methods well known to those skilled in the art.

RT-PCR can also be used to identify alternatively spliced VEGF, Flt-1 or Flk-1/KDR mRNAs. In RT-PCR, mRNA from the diseased tissue is converted
5 into cDNA by the enzyme reverse transcriptase, using methods well-known to those of ordinary skill in the art. The entire coding sequence of the cDNA is then amplified via PCR using a forward primer located in the 3' untranslated region, and a reverse primer located in the 5' untranslated region. The amplified products can be analyzed for alternative splice forms, for example by comparing the size of the
10 amplified products with the size of the expected product from normally spliced mRNA, *e.g.*, by agarose gel electrophoresis. Any change in the size of the amplified product can indicate alternative splicing.

mRNA produced from mutant VEGF, Flt-1 or Flk-1/KDR genes can also be readily identified through the techniques described above for identifying alternative
15 splice forms. As used herein, "mutant" VEGF, Flt-1 or Flk-1/KDR genes or mRNA include human VEGF, Flt-1 or Flk-1/KDR genes or mRNA which differ in sequence from the VEGF, Flt-1 or Flk-1/KDR sequences set forth herein. Thus, allelic forms of these genes, and the mRNA produced from them, are considered "mutants" for purposes of this invention.

20 It is understood that human VEGF, Flt-1 or Flk-1/KDR mRNA may contain target sequences in common with their respective alternative splice forms, cognates or mutants. A single siRNA comprising such a common targeting sequence can therefore induce RNAi-mediated degradation of different RNA types which contain the common targeting sequence.

25 The siRNA of the invention can comprise partially purified RNA, substantially pure RNA, synthetic RNA, or recombinantly produced RNA, as well as altered RNA that differs from naturally-occurring RNA by the addition, deletion, substitution and/or alteration of one or more nucleotides. Such alterations can include addition of non-nucleotide material, such as to the end(s) of the siRNA or
30 to one or more internal nucleotides of the siRNA, including modifications that make the siRNA resistant to nuclease digestion.

represented by capital letters (*e.g.*, deoxythymidine is "T"), and ribonucleotides in a nucleic acid sequence are represented by lower case letters (*e.g.*, uridine is "u").

Compositions and methods comprising siRNA targeted to VEGF, Flt-1 or Flk-1/KDR mRNA are advantageously used to inhibit angiogenesis, in particular
5 for the treatment of angiogenic disease. The siRNA of the invention are believed to cause the RNAi-mediated degradation of these mRNAs, so that the protein product of the VEGF, Flt-1 or Flk-1/KDR genes is not produced or is produced in reduced amounts. Because VEGF binding to the Flt-1 or Flk-1/KDR receptors is required for initiating and maintaining angiogenesis, the siRNA-mediated
10 degradation of VEGF, Flt-1 or Flk-1/KDR mRNA inhibits the angiogenic process.

The invention therefore provides isolated siRNA comprising short double-stranded RNA from about 17 nucleotides to about 29 nucleotides in length, preferably from about 19 to about 25 nucleotides in length, that are targeted to the target mRNA. The siRNA comprise a sense RNA strand and a complementary
15 antisense RNA strand annealed together by standard Watson-Crick base-pairing interactions (hereinafter "base-paired"). As is described in more detail below, the sense strand comprises a nucleic acid sequence which is identical to a target sequence contained within the target mRNA.

The sense and antisense strands of the present siRNA can comprise two
20 complementary, single-stranded RNA molecules or can comprise a single molecule in which two complementary portions are base-paired and are covalently linked by a single-stranded "hairpin" area. Without wishing to be bound by any theory, it is believed that the hairpin area of the latter type of siRNA molecule is cleaved intracellularly by the "Dicer" protein (or its equivalent) to form an siRNA of two
25 individual base-paired RNA molecules (see Tuschl, T. (2002), *supra*).

As used herein, "isolated" means altered or removed from the natural state through human intervention. For example, an siRNA naturally present in a living animal is not "isolated," but a synthetic siRNA, or an siRNA partially or completely separated from the coexisting materials of its natural state is "isolated."
30 An isolated siRNA can exist in substantially purified form, or can exist in a non-native environment such as, for example, a cell into which the siRNA has been delivered.

One or both strands of the siRNA of the invention can also comprise a 3' overhang. As used herein, a "3' overhang" refers to at least one unpaired nucleotide extending from the 3'-end of a duplexed RNA strand.

Thus in one embodiment, the siRNA of the invention comprises at least one
5 3' overhang of from 1 to about 6 nucleotides (which includes ribonucleotides or deoxynucleotides) in length, preferably from 1 to about 5 nucleotides in length, more preferably from 1 to about 4 nucleotides in length, and particularly preferably from about 2 to about 4 nucleotides in length.

In the embodiment in which both strands of the siRNA molecule comprise a
10 3' overhang, the length of the overhangs can be the same or different for each strand. In a most preferred embodiment, the 3' overhang is present on both strands of the siRNA, and is 2 nucleotides in length. For example, each strand of the siRNA of the invention can comprise 3' overhangs of dithymidylic acid ("TT") or diuridylic acid ("uu").

15 In order to enhance the stability of the present siRNA, the 3' overhangs can be also stabilized against degradation. In one embodiment, the overhangs are stabilized by including purine nucleotides, such as adenosine or guanosine nucleotides. Alternatively, substitution of pyrimidine nucleotides by modified analogues, *e.g.*, substitution of uridine nucleotides in the 3' overhangs with 2'-
20 deoxythymidine, is tolerated and does not affect the efficiency of RNAi degradation. In particular, the absence of a 2' hydroxyl in the 2'-deoxythymidine significantly enhances the nuclease resistance of the 3' overhang in tissue culture medium.

In certain embodiments, the siRNA of the invention comprises the sequence
25 AA(N₁₉)TT or NA(N₂₁), where N is any nucleotide. These siRNA comprise approximately 30-70% GC, and preferably comprise approximately 50% G/C. The sequence of the sense siRNA strand corresponds to (N₁₉)TT or N₂₁ (*i.e.*, positions 3 to 23), respectively. In the latter case, the 3' end of the sense siRNA is converted to TT. The rationale for this sequence conversion is to generate a symmetric
30 duplex with respect to the sequence composition of the sense and antisense strand 3' overhangs. The antisense RNA strand is then synthesized as the complement to positions 1 to 21 of the sense strand.

Because position 1 of the 23-nt sense strand in these embodiments is not recognized in a sequence-specific manner by the antisense strand, the 3'-most nucleotide residue of the antisense strand can be chosen deliberately. However, the penultimate nucleotide of the antisense strand (complementary to position 2 of the 23-nt sense strand in either embodiment) is generally complementary to the targeted sequence.

In another embodiment, the siRNA of the invention comprises the sequence NAR(N17)YNN, where R is a purine (*e.g.*, A or G) and Y is a pyrimidine (*e.g.*, C or U/T). The respective 21-nt sense and antisense RNA strands of this embodiment therefore generally begin with a purine nucleotide. Such siRNA can be expressed from pol III expression vectors without a change in targeting site, as expression of RNAs from pol III promoters is only believed to be efficient when the first transcribed nucleotide is a purine.

The siRNA of the invention can be targeted to any stretch of approximately 19-25 contiguous nucleotides in any of the target mRNA sequences (the "target sequence"). Techniques for selecting target sequences for siRNA are given, for example, in Tuschl T et al., "The siRNA User Guide," revised Oct. 11, 2002, the entire disclosure of which is herein incorporated by reference. "The siRNA User Guide" is available on the world wide web at a website maintained by Dr. Thomas Tuschl, Department of Cellular Biochemistry, AG 105, Max-Planck-Institute for Biophysical Chemistry, 37077 Göttingen, Germany, and can be found by accessing the website of the Max Planck Institute and searching with the keyword "siRNA." Thus, the sense strand of the present siRNA comprises a nucleotide sequence identical to any contiguous stretch of about 19 to about 25 nucleotides in the target mRNA.

Generally, a target sequence on the target mRNA can be selected from a given cDNA sequence corresponding to the target mRNA, preferably beginning 50 to 100 nt downstream (*i.e.*, in the 3' direction) from the start codon. The target sequence can, however, be located in the 5' or 3' untranslated regions, or in the region nearby the start codon (see, *e.g.*, the target sequences of SEQ ID NOS: 73 and 74 in Table 1 below, which are within 100 nt of the 5'-end of the VEGF₁₂₁ cDNA

For example, a suitable target sequence in the VEGF₁₂₁ cDNA sequence is:

TCATCACGAAGTGGTGAAG (SEQ ID NO: 8)

Thus, an siRNA of the invention targeting this sequence, and which has 3'
5 uu overhangs on each strand (overhangs shown in bold), is:

5'-ucaucacgaaguggugaaguu-3' (SEQ ID NO: 9)

3'-uuaguagugcuuccaccacuuc-5' (SEQ ID NO: 10)

10 An siRNA of the invention targeting this same sequence, but having 3' TT
overhangs on each strand (overhangs shown in bold) is:

5'-ucaucacgaaguggugaagTT-3' (SEQ ID NO: 11)

3'-TTaguagugcuuccaccacuuc-5' (SEQ ID NO: 12)

15

Other VEGF₁₂₁ target sequences from which siRNA of the invention can be
derived are given in Table 1. It is understood that all VEGF₁₂₁ target sequences
listed in Table 1 are within that portion of the VEGF₁₂₁ alternative splice form
which is common to all human VEGF alternative splice forms. Thus, the VEGF₁₂₁
20 target sequences in Table 1 can also target VEGF₁₆₅, VEGF₁₈₉ and VEGF₂₀₆
mRNA. Target sequences which target a specific VEGF isoform can also be
readily identified. For example, a target sequence which targets VEGF₁₆₅ mRNA
but not VEGF₁₂₁ mRNA is AACGTACTTGCAGATGTGACA (SEQ ID NO: 13).
Exemplary target sequences for human Flt-1 are given in SEQ ID NOS: 91 – 504,
25 and exemplary target sequences for human Flk-1/KDR are given in SEQ ID NOS:
505 – 864.

Table 1 - VEGF Target Sequences

target sequence	SEQ ID NO:	target sequence	SEQ ID NO:
GTTTCATGGATGTCTATCAG	14	TCCCTGTGGGCCTTGCTCA	30
TCGAGACCCCTGGTGGACAT	15	GCAITTTGTTGTACAAGAT	31
TGACGAGGGCCTGGAGTGT	16	GATCCGCAGACGTGTAAAT	32
TGACGAGGGCCTGGAGTGT	17	ATGTTCTCTGCAAAAACACA	33
CATCACCATGCAGATTATG	18	TGTTCTCTGCAAAAACACAG	34
ACCTCACCAAGGCCAGCAC	19	AAACACAGACTCGCGTTGC	35
GGCCAGCACATAGGAGAGA	20	AACACAGACTCGCGTTGCA	36
CAAATGTGAATGCAGACCA	21	ACACAGACTCGCGTTGCAA	37
ATGTGAATGCAGACCAAAG	22	CACAGACTCGCGTTGCAAG	38
TGCAGACCAAAGAAAAGATA	23	GGCGAGGCAGCTTGAGTTA	39
AGAAAGATAGAGCAAGACA	24	ACGAACGTACTTGCAGATG	40
GAAAGATAGAGCAAGACAA	25	CGAACGTACTTGCAGATGT	41
GATAGAGCAAGACAAAGAAA	26	CGTACTTGCAGATGTGACA	42
GACAAGAAAAATCCCTGTGG	27	GTGGTCCCAGGGCTGCACCC	43
GAAAAATCCCTGTGGGCCTT	28	GGAGGAGGGCAGAAATCATC	44
AATCCCTGTGGGCCTTGCT	29	GTGGTGAAATTTCATGGATG	45

Table 1 (continued) - VEGF Target Sequences

target sequence	SEQ ID NO:	target sequence	SEQ ID NO:
AATCATCACGAAGTGGTGAAG	46	AAGCATTTTGTGTACAAAGATCC	62
AAGTTCA TGGATGTCTATCAG	47	AAGATCCGCAGACGTGTAAATGT	63
AATCGAGACCCCTGGTGACAT	48	AAATGTTCCCTGCAGCAAAAACACAGAG	64
AATGACGAGGGCCTGGAGTGT	49	AAATGTTCCCTGCAGCAAAAACACAGAG	65
AACATCACCATGCAGATTATG	50	AAAAACACAGACTCGCGTTGCAA	66
AAACCTCACCAAGGCCAGCAC	51	AAAAACACAGACTCGCGTTGCAAAG	67
AAGGCCAGCACATAGGAGAGA	52	AAACACAGACTCGCGTTGCAAAGG	68
AACAAATGTGAATGCAGACCA	53	AACACAGACTCGCGTTGCAAAGGC	69
AAATGTGAATGCAGACCAAG	54	AAGGCGAGGCAGCTTGAGTTAA	70
AATGCAGACCAAGAAAGATA	55	AAACGAACGTACTTGACAGATGTG	71
AAAGAAAGATAGAGCAAGACA	56	AACGAACGTACTTGACAGATGTGA	72
AAGAAAGATAGAGCAAGACAA	57	AAGTGGTCCCAGGCTGCACCCAT	73
AAGATAGAGCAAGACAAGAAAAT	58	AAGGAGGAGGGCAGAGAAATCATCAC	74
AAGACAAAGAAAATCCCTGTGGGC	59	AAGTGGTGAAGTTTCATGGATGTC	75
AAGAAAATCCCTGTGGGCCTTGC	60	AAAATCCCTGTGGGCCTTGCTCA	76
AATCCCTGTGGGCCTTGCTCAGA	61	GGCAGAAATCATCACGAAGTGG	81

Table 1 (continued) - VEGF Target Sequences

target sequence	SEQ ID NO:	target sequence	SEQ ID NO:
CCTGGTGGACATCTTCCAGGA	82	CACACACTCGCGTTGCAAGGC	87
GAGATCGAGTACATCTTCAAG	83	TCACCATGCAGATTATGCGGA	88
TGGAGTGTGTGCCCACTGAGG	84	TAGAGCAAGACAAGAAAATCC	89
GAGCTTCCTACAGCACAAACAA	85	CCGCAGACGTGTAAATGTTCC	90
TTGCTCAGAGCGGAGAAAAGCA	86		

The siRNA of the invention can be obtained using a number of techniques known to those of skill in the art. For example, the siRNA can be chemically synthesized or recombinantly produced using methods known in the art, such as the *Drosophila in vitro* system described in U.S. published application 2002/0086356 of Tuschl et al., the entire disclosure of which is
5 herein incorporated by reference.

Preferably, the siRNA of the invention are chemically synthesized using appropriately protected ribonucleoside phosphoramidites and a conventional DNA/RNA synthesizer. The siRNA can be synthesized as two separate,
10 complementary RNA molecules, or as a single RNA molecule with two complementary regions. Commercial suppliers of synthetic RNA molecules or synthesis reagents include Prologo (Hamburg, Germany), Dharmacon Research (Lafayette, CO, USA), Pierce Chemical (part of Perbio Science, Rockford, IL, USA), Glen Research (Sterling, VA, USA), ChemGenes (Ashland, MA, USA)
15 and Cruachem (Glasgow, UK).

Alternatively, siRNA can also be expressed from recombinant circular or linear DNA plasmids using any suitable promoter. Suitable promoters for expressing siRNA of the invention from a plasmid include, for example, the U6 or H1 RNA pol III promoter sequences and the cytomegalovirus promoter.
20 Selection of other suitable promoters is within the skill in the art. The recombinant plasmids of the invention can also comprise inducible or regulatable promoters for expression of the siRNA in a particular tissue or in a particular intracellular environment.

The siRNA expressed from recombinant plasmids can either be isolated
25 from cultured cell expression systems by standard techniques, or can be expressed intracellularly at or near the area of neovascularization *in vivo*. The use of recombinant plasmids to deliver siRNA of the invention to cells *in vivo* is discussed in more detail below.

siRNA of the invention can be expressed from a recombinant plasmid
30 either as two separate, complementary RNA molecules, or as a single RNA molecule with two complementary regions.

Selection of plasmids suitable for expressing siRNA of the invention, methods for inserting nucleic acid sequences for expressing the siRNA into the plasmid, and methods of delivering the recombinant plasmid to the cells of interest are within the skill in the art. See, for example Tuschl, T. (2002), *Nat. Biotechnol.*, 20: 446-448; Brummelkamp TR et al. (2002), *Science* 296: 550-553; Miyagishi M et al. (2002), *Nat. Biotechnol.* 20: 497-500; Paddison PJ et al. (2002), *Genes Dev.* 16: 948-958; Lee NS et al. (2002), *Nat. Biotechnol.* 20: 500-505; and Paul CP et al. (2002), *Nat. Biotechnol.* 20: 505-508, the entire disclosures of which are herein incorporated by reference.

10 A plasmid comprising nucleic acid sequences for expressing an siRNA of the invention is described in Example 7 below. That plasmid, called pAAVsiRNA, comprises a sense RNA strand coding sequence in operable connection with a polyT termination sequence under the control of a human U6 RNA promoter, and an antisense RNA strand coding sequence in operable
15 connection with a polyT termination sequence under the control of a human U6 RNA promoter. The plasmid pAAVsiRNA is ultimately intended for use in producing an recombinant adeno-associated viral vector comprising the same nucleic acid sequences for expressing an siRNA of the invention.

As used herein, "in operable connection with a polyT termination
20 sequence" means that the nucleic acid sequences encoding the sense or antisense strands are immediately adjacent to the polyT termination signal in the 5' direction. During transcription of the sense or antisense sequences from the plasmid, the polyT termination signals act to terminate transcription.

As used herein, "under the control" of a promoter means that the nucleic
25 acid sequences encoding the sense or antisense strands are located 3' of the promoter, so that the promoter can initiate transcription of the sense or antisense coding sequences.

The siRNA of the invention can also be expressed from recombinant viral vectors intracellularly at or near the area of neovascularization *in vivo*. The
30 recombinant viral vectors of the invention comprise sequences encoding the siRNA of the invention and any suitable promoter for expressing the siRNA sequences. Suitable promoters include, for example, the U6 or H1 RNA pol III

promoter sequences and the cytomegalovirus promoter. Selection of other suitable promoters is within the skill in the art. The recombinant viral vectors of the invention can also comprise inducible or regulatable promoters for expression of the siRNA in a particular tissue or in a particular intracellular environment. The use of recombinant viral vectors to deliver siRNA of the invention to cells *in vivo* is discussed in more detail below.

siRNA of the invention can be expressed from a recombinant viral vector either as two separate, complementary RNA molecules, or as a single RNA molecule with two complementary regions.

Any viral vector capable of accepting the coding sequences for the siRNA molecule(s) to be expressed can be used, for example vectors derived from adenovirus (AV); adeno-associated virus (AAV); retroviruses (*e.g.*, lentiviruses (LV), Rhabdoviruses, murine leukemia virus); herpes virus, and the like. The tropism of the viral vectors can also be modified by pseudotyping the vectors with envelope proteins or other surface antigens from other viruses. For example, an AAV vector of the invention can be pseudotyped with surface proteins from vesicular stomatitis virus (VSV), rabies, Ebola, Mokola, and the like.

Selection of recombinant viral vectors suitable for use in the invention, methods for inserting nucleic acid sequences for expressing the siRNA into the vector, and methods of delivering the viral vector to the cells of interest are within the skill in the art. See, for example, Dornburg R (1995), *Gene Therap.* 2: 301-310; Eglitis MA (1988), *Biotechniques* 6: 608-614; Miller AD (1990), *Hum Gene Therap.* 1: 5-14; and Anderson WF (1998), *Nature* 392: 25-30, the entire disclosures of which are herein incorporated by reference.

Preferred viral vectors are those derived from AV and AAV. In a particularly preferred embodiment, the siRNA of the invention is expressed as two separate, complementary single-stranded RNA molecules from a recombinant AAV vector comprising, for example, either the U6 or H1 RNA promoters, or the cytomegalovirus (CMV) promoter.

A suitable AV vector for expressing the siRNA of the invention, a method for constructing the recombinant AV vector, and a method for

delivering the vector into target cells, are described in Xia H et al. (2002), *Nat. Biotech.* 20: 1006-1010.

Suitable AAV vectors for expressing the siRNA of the invention, methods for constructing the recombinant AAV vector, and methods for
5 delivering the vectors into target cells are described in Samulski R et al. (1987), *J. Virol.* 61: 3096-3101; Fisher KJ et al. (1996), *J. Virol.*, 70: 520-532; Samulski R et al. (1989), *J. Virol.* 63: 3822-3826; U.S. Pat. No. 5,252,479; U.S. Pat. No. 5,139,941; International Patent Application No. WO 94/13788; and International Patent Application No. WO 93/24641, the entire disclosures of
10 which are herein incorporated by reference. An exemplary method for generating a recombinant AAV vector of the invention is described in Example 7 below.

The ability of an siRNA containing a given target sequence to cause RNAi-mediated degradation of the target mRNA can be evaluated using
15 standard techniques for measuring the levels of RNA or protein in cells. For example, siRNA of the invention can be delivered to cultured cells, and the levels of target mRNA can be measured by Northern blot or dot blotting techniques, or by quantitative RT-PCR. Alternatively, the levels of VEGF, Flt-1 or Flk-1/KDR receptor protein in the cultured cells can be measured by ELISA
20 or Western blot. A suitable cell culture system for measuring the effect of the present siRNA on target mRNA or protein levels is described in Example 1 below.

RNAi-mediated degradation of target mRNA by an siRNA containing a given target sequence can also be evaluated with animal models of
25 neovascularization, such as the ROP or CNV mouse models. For example, areas of neovascularization in an ROP or CNV mouse can be measured before and after administration of an siRNA. A reduction in the areas of neovascularization in these models upon administration of the siRNA indicates the down-regulation of the target mRNA (see Example 6 below).

30 As discussed above, the siRNA of the invention target and cause the RNAi-mediated degradation of VEGF, Flt-1 or Flk-1/KDR mRNA, or alternative splice forms, mutants or cognates thereof. Degradation of the target

mRNA by the present siRNA reduces the production of a functional gene product from the VEGF, Flt-1 or Flk-1/KDR genes. Thus, the invention provides a method of inhibiting expression of VEGF, Flt-1 or Flk-1/KDR in a subject, comprising administering an effective amount of an siRNA of the invention to the subject, such that the target mRNA is degraded. As the products of the VEGF, Flt-1 and Flk-1/KDR genes are required for initiating and maintaining angiogenesis, the invention also provides a method of inhibiting angiogenesis in a subject by the RNAi-mediated degradation of the target mRNA by the present siRNA.

10 As used herein, a "subject" includes a human being or non-human animal. Preferably, the subject is a human being.

As used herein, an "effective amount" of the siRNA is an amount sufficient to cause RNAi-mediated degradation of the target mRNA, or an amount sufficient to inhibit the progression of angiogenesis in a subject.

15 RNAi-mediated degradation of the target mRNA can be detected by measuring levels of the target mRNA or protein in the cells of a subject, using standard techniques for isolating and quantifying mRNA or protein as described above.

Inhibition of angiogenesis can be evaluated by directly measuring the progress of pathogenic or nonpathogenic angiogenesis in a subject; for example, by observing the size of a neovascularized area before and after treatment with the siRNA of the invention. An inhibition of angiogenesis is indicated if the size of the neovascularized area stays the same or is reduced. Techniques for observing and measuring the size of neovascularized areas in a subject are within the skill in the art; for example, areas of choroid neovascularization can be observed by ophthalmoscopy.

Inhibition of angiogenesis can also be inferred through observing a change or reversal in a pathogenic condition associated with the angiogenesis. For example, in ARMD, a slowing, halting or reversal of vision loss indicates an inhibition of angiogenesis in the choroid. For tumors, a slowing, halting or reversal of tumor growth, or a slowing or halting of tumor metastasis, indicates an inhibition of angiogenesis at or near the tumor site. Inhibition of non-

pathogenic angiogenesis can also be inferred from, for example, fat loss or a reduction in cholesterol levels upon administration of the siRNA of the invention.

It is understood that the siRNA of the invention can degrade the target mRNA (and thus inhibit angiogenesis) in substoichiometric amounts. Without wishing to be bound by any theory, it is believed that the siRNA of the invention causes degradation of the target mRNA in a catalytic manner. Thus, compared to standard anti-angiogenic therapies, significantly less siRNA needs to be delivered at or near the site of neovascularization to have a therapeutic effect.

One skilled in the art can readily determine an effective amount of the siRNA of the invention to be administered to a given subject, by taking into account factors such as the size and weight of the subject; the extent of the neovascularization or disease penetration; the age, health and sex of the subject; the route of administration; and whether the administration is regional or systemic. Generally, an effective amount of the siRNA of the invention comprises an intercellular concentration at or near the neovascularization site of from about 1 nanomolar (nM) to about 100 nM, preferably from about 2 nM to about 50 nM, more preferably from about 2.5 nM to about 10 nM. It is contemplated that greater or lesser amounts of siRNA can be administered.

The present methods can be used to inhibit angiogenesis which is non-pathogenic; *i.e.*, angiogenesis which results from normal processes in the subject. Examples of non-pathogenic angiogenesis include endometrial neovascularization, and processes involved in the production of fatty tissues or cholesterol. Thus, the invention provides a method for inhibiting non-pathogenic angiogenesis, *e.g.*, for controlling weight or promoting fat loss, for reducing cholesterol levels, or as an abortifacient.

The present methods can also inhibit angiogenesis which is associated with an angiogenic disease; *i.e.*, a disease in which pathogenicity is associated with inappropriate or uncontrolled angiogenesis. For example, most cancerous solid tumors generate an adequate blood supply for themselves by inducing angiogenesis in and around the tumor site. This tumor-induced angiogenesis is

often required for tumor growth, and also allows metastatic cells to enter the bloodstream.

Other angiogenic diseases include diabetic retinopathy, age-related macular degeneration (ARMD), psoriasis, rheumatoid arthritis and other inflammatory diseases. These diseases are characterized by the destruction of normal tissue by newly formed blood vessels in the area of neovascularization. For example, in ARMD, the choroid is invaded and destroyed by capillaries. The angiogenesis-driven destruction of the choroid in ARMD eventually leads to partial or full blindness.

Preferably, an siRNA of the invention is used to inhibit the growth or metastasis of solid tumors associated with cancers; for example breast cancer, lung cancer, head and neck cancer, brain cancer, abdominal cancer, colon cancer, colorectal cancer, esophagus cancer, gastrointestinal cancer, glioma, liver cancer, tongue cancer, neuroblastoma, osteosarcoma, ovarian cancer, pancreatic cancer, prostate cancer, retinoblastoma, Wilm's tumor, multiple myeloma; skin cancer (*e.g.*, melanoma), lymphomas and blood cancer.

More preferably, an siRNA of the invention is used to inhibit choroidal neovascularization in age-related macular degeneration.

For treating angiogenic diseases, the siRNA of the invention can be administered to a subject in combination with a pharmaceutical agent which is different from the present siRNA. Alternatively, the siRNA of the invention can be administered to a subject in combination with another therapeutic method designed to treat the angiogenic disease. For example, the siRNA of the invention can be administered in combination with therapeutic methods currently employed for treating cancer or preventing tumor metastasis (*e.g.*, radiation therapy, chemotherapy, and surgery). For treating tumors, the siRNA of the invention is preferably administered to a subject in combination with radiation therapy, or in combination with chemotherapeutic agents such as cisplatin, carboplatin, cyclophosphamide, 5-fluorouracil, adriamycin, daunorubicin or tamoxifen.

In the present methods, the present siRNA can be administered to the subject either as naked siRNA, in conjunction with a delivery reagent, or as a recombinant plasmid or viral vector which expresses the siRNA.

Suitable delivery reagents for administration in conjunction with the present siRNA include the Mirus Transit TKO lipophilic reagent; lipofectin; lipofectamine; cellfectin; or polycations (*e.g.*, polylysine), or liposomes. A preferred delivery reagent is a liposome.

Liposomes can aid in the delivery of the siRNA to a particular tissue, such as retinal or tumor tissue, and can also increase the blood half-life of the siRNA. Liposomes suitable for use in the invention are formed from standard vesicle-forming lipids, which generally include neutral or negatively charged phospholipids and a sterol, such as cholesterol. The selection of lipids is generally guided by consideration of factors such as the desired liposome size and half-life of the liposomes in the blood stream. A variety of methods are known for preparing liposomes, for example as described in Szoka et al. (1980), *Ann. Rev. Biophys. Bioeng.* 9: 467; and U.S. Pat. Nos. 4,235,871, 4,501,728, 4,837,028, and 5,019,369, the entire disclosures of which are herein incorporated by reference.

Preferably, the liposomes encapsulating the present siRNA comprises a ligand molecule that can target the liposome to a particular cell or tissue at or near the site of angiogenesis. Ligands which bind to receptors prevalent in tumor or vascular endothelial cells, such as monoclonal antibodies that bind to tumor antigens or endothelial cell surface antigens, are preferred.

Particularly preferably, the liposomes encapsulating the present siRNA are modified so as to avoid clearance by the mononuclear macrophage and reticuloendothelial systems, for example by having opsonization-inhibition moieties bound to the surface of the structure. In one embodiment, a liposome of the invention can comprise both opsonization-inhibition moieties and a ligand.

Opsonization-inhibiting moieties for use in preparing the liposomes of the invention are typically large hydrophilic polymers that are bound to the liposome membrane. As used herein, an opsonization inhibiting moiety is

“bound” to a liposome membrane when it is chemically or physically attached to the membrane, *e.g.*, by the intercalation of a lipid-soluble anchor into the membrane itself, or by binding directly to active groups of membrane lipids. These opsonization-inhibiting hydrophilic polymers form a protective surface
5 layer which significantly decreases the uptake of the liposomes by the macrophage-monocyte system (“MMS”) and reticuloendothelial system (“RES”); *e.g.*, as described in U.S. Pat. No. 4,920,016, the entire disclosure of which is herein incorporated by reference. Liposomes modified with opsonization-inhibition moieties thus remain in the circulation much longer than
10 unmodified liposomes. For this reason, such liposomes are sometimes called “stealth” liposomes.

Stealth liposomes are known to accumulate in tissues fed by porous or “leaky” microvasculature. Thus, target tissue characterized by such microvasculature defects, for example solid tumors, will efficiently accumulate
15 these liposomes; *see* Gabizon, et al. (1988), *P.N.A.S., USA*, 18: 6949-53. In addition, the reduced uptake by the RES lowers the toxicity of stealth liposomes by preventing significant accumulation in the liver and spleen. Thus, liposomes of the invention that are modified with opsonization-inhibition moieties can deliver the present siRNA to tumor cells.

Opsonization inhibiting moieties suitable for modifying liposomes are preferably water-soluble polymers with a number-average molecular weight from about 500 to about 40,000 daltons, and more preferably from about 2,000 to about 20,000 daltons. Such polymers include polyethylene glycol (PEG) or polypropylene glycol (PPG) derivatives; *e.g.*, methoxy PEG or PPG, and PEG
25 or PPG stearate; synthetic polymers such as polyacrylamide or poly N-vinyl pyrrolidone; linear, branched, or dendrimeric polyamidoamines; polyacrylic acids; polyalcohols, *e.g.*, polyvinylalcohol and polyxylitol to which carboxylic or amino groups are chemically linked, as well as gangliosides, such as ganglioside GM₁. Copolymers of PEG, methoxy PEG, or methoxy PPG, or
30 derivatives thereof, are also suitable. In addition, the opsonization inhibiting polymer can be a block copolymer of PEG and either a polyamino acid, polysaccharide, polyamidoamine, polyethyleneamine, or polynucleotide. The

opsonization inhibiting polymers can also be natural polysaccharides containing amino acids or carboxylic acids, e.g., galacturonic acid, glucuronic acid, mannuronic acid, hyaluronic acid, pectic acid, neuraminic acid, alginic acid, carrageenan; aminated polysaccharides or oligosaccharides (linear or branched);
5 or carboxylated polysaccharides or oligosaccharides, e.g., reacted with derivatives of carbonic acids with resultant linking of carboxylic groups.

Preferably, the opsonization-inhibiting moiety is a PEG, PPG, or derivatives thereof. Liposomes modified with PEG or PEG-derivatives are sometimes called "PEGylated liposomes."

10 The opsonization inhibiting moiety can be bound to the liposome membrane by any one of numerous well-known techniques. For example, an N-hydroxysuccinimide ester of PEG can be bound to a phosphatidyl-ethanolamine lipid-soluble anchor, and then bound to a membrane. Similarly, a dextran polymer can be derivatized with a stearylamine lipid-soluble anchor via
15 reductive amination using $\text{Na}(\text{CN})\text{BH}_3$ and a solvent mixture such as tetrahydrofuran and water in a 30:12 ratio at 60 °C.

Recombinant plasmids which express siRNA of the invention are discussed above. Such recombinant plasmids can also be administered directly or in conjunction with a suitable delivery reagent, including the Mirus Transit
20 LT1 lipophilic reagent; lipofectin; lipofectamine; cellfectin; polycations (e.g., polylysine) or liposomes. Recombinant viral vectors which express siRNA of the invention are also discussed above, and methods for delivering such vectors to an area of neovascularization in a patient are within the skill in the art.

The siRNA of the invention can be administered to the subject by any
25 means suitable for delivering the siRNA to the cells of the tissue at or near the area of neovascularization. For example, the siRNA can be administered by gene gun, electroporation, or by other suitable parenteral or enteral administration routes.

Suitable enteral administration routes include oral, rectal, or intranasal
30 delivery.

Suitable parenteral administration routes include intravascular administration (e.g. intravenous bolus injection, intravenous infusion, intra-

arterial bolus injection, intra-arterial infusion and catheter instillation into the vasculature); peri- and intra-tissue administration (*e.g.*, peri-tumoral and intra-tumoral injection, intra-retinal injection or subretinal injection); subcutaneous injection or deposition including subcutaneous infusion (such as by osmotic pumps); direct (*e.g.*, topical) application to the area at or near the site of neovascularization, for example by a catheter or other placement device (*e.g.*, a corneal pellet or a suppository, eye-dropper, or an implant comprising a porous, non-porous, or gelatinous material); and inhalation. Suitable placement devices include the ocular implants described in U.S. Pat. Nos. 5,902,598 and 6,375,972, and the biodegradable ocular implants described in U.S. Pat. No 6,331,313, the entire disclosures of which are herein incorporated by reference. Such ocular implants are available from Control Delivery Systems, Inc. (Watertown, MA) and Oculex Pharmaceuticals, Inc. (Sunnyvale, CA).

In a preferred embodiment, injections or infusions of the siRNA are given at or near the site of neovascularization. More preferably, the siRNA is administered topically to the eye, *e.g.* in liquid or gel form to the lower eye lid or conjunctival cul-de-sac, as is within the skill in the art (see, *e.g.*, Acheampong AA et al, 2002, *Drug Metabol. and Disposition* 30: 421-429, the entire disclosure of which is herein incorporated by reference).

Typically, the siRNA of the invention is administered topically to the eye in amounts of from about 5 microliters to about 75 microliters, for example from about 7 microliters to about 50 microliters, preferably from about 10 microliters to about 30 microliters. It is understood that topical instillation in the eye of siRNA in volumes greater than 75 microliters can result in loss of siRNA from the eye through spillage and drainage. Thus, it is preferable to administer a high concentration of siRNA (*e.g.*, 100-1000 nM) in as small a volume as possible.

A particularly preferred parenteral administration route is intraocular administration. It is understood that intraocular administration of the present siRNA can be accomplished by injection or direct (*e.g.*, topical) administration to the eye, as long as the administration route allows the siRNA to enter the eye. In addition to the topical routes of administration to the eye described above,

suitable intraocular routes of administration include intravitreal, intraretinal, subretinal, subtenon, peri- and retro-orbital, trans-corneal and trans-scleral administration. Such intraocular administration routes are within the skill in the art; see, *e.g.*, and Acheampong AA et al, 2002, *supra*; and Bennett et al. (1996),
5 *Hum. Gene Ther.* 7: 1763-1769 and Ambati J et al., 2002, *Progress in Retinal and Eye Res.* 21: 145-151, the entire disclosures of which are herein incorporated by reference.

The siRNA of the invention can be administered in a single dose or in multiple doses. Where the administration of the siRNA of the invention is by
10 infusion, the infusion can be a single sustained dose or can be delivered by multiple infusions. Injection of the agent directly into the tissue is at or near the site of neovascularization preferred. Multiple injections of the agent into the tissue at or near the site of neovascularization are particularly preferred.

One skilled in the art can also readily determine an appropriate dosage
15 regimen for administering the siRNA of the invention to a given subject. For example, the siRNA can be administered to the subject once, such as by a single injection or deposition at or near the neovascularization site. Alternatively, the siRNA can be administered to a subject multiple times daily or weekly. For example, the siRNA can be administered to a subject once weekly for a period of
20 from about three to about twenty-eight weeks, more preferably from about seven to about ten weeks. In a preferred dosage regimen, the siRNA is injected at or near the site of neovascularization (*e.g.*, intravitreally) once a week for seven weeks. It is understood that periodic administrations of the siRNA of the invention for an indefinite length of time may be necessary for subjects suffering from a chronic
25 neovascularization disease, such as wet ARMD or diabetic retinopathy.

Where a dosage regimen comprises multiple administrations, it is understood that the effective amount of siRNA administered to the subject can comprise the total amount of siRNA administered over the entire dosage regimen.

The siRNA of the invention are preferably formulated as
30 pharmaceutical compositions prior to administering to a subject, according to techniques known in the art. Pharmaceutical compositions of the present invention are characterized as being at least sterile and pyrogen-free. As used

herein, "pharmaceutical formulations" include formulations for human and veterinary use. Methods for preparing pharmaceutical compositions of the invention are within the skill in the art, for example as described in *Remington's Pharmaceutical Science*, 17th ed., Mack Publishing Company, Easton, Pa. 5 (1985), the entire disclosure of which is herein incorporated by reference.

The present pharmaceutical formulations comprise an siRNA of the invention (e.g., 0.1 to 90% by weight), or a physiologically acceptable salt thereof, mixed with a physiologically acceptable carrier medium. Preferred physiologically acceptable carrier media are water, buffered water, saline 10 solutions (e.g., normal saline or balanced saline solutions such as Hank's or Earle's balanced salt solutions), 0.4% saline, 0.3% glycine, hyaluronic acid and the like.

Pharmaceutical compositions of the invention can also comprise conventional pharmaceutical excipients and/or additives. Suitable 15 pharmaceutical excipients include stabilizers, antioxidants, osmolality adjusting agents, buffers, and pH adjusting agents. Suitable additives include physiologically biocompatible buffers (e.g., tromethamine hydrochloride), additions of chelants (such as, for example, DTPA or DTPA-bisamide) or calcium chelate complexes (as for example calcium DTPA, CaNaDTPA- 20 bisamide), or, optionally, additions of calcium or sodium salts (for example, calcium chloride, calcium ascorbate, calcium gluconate or calcium lactate). Pharmaceutical compositions of the invention can be packaged for use in liquid form, or can be lyophilized.

For topical administration to the eye, conventional intraocular delivery 25 reagents can be used. For example, pharmaceutical compositions of the invention for topical intraocular delivery can comprise saline solutions as described above, corneal penetration enhancers, insoluble particles, petrolatum or other gel-based ointments, polymers which undergo a viscosity increase upon instillation in the eye, or mucoadhesive polymers. Preferably, the intraocular 30 delivery reagent increases corneal penetration, or prolongs preocular retention of the siRNA through viscosity effects or by establishing physicochemical interactions with the mucin layer covering the corneal epithelium.

Suitable insoluble particles for topical intraocular delivery include the calcium phosphate particles described in U.S. Pat. No. 6,355,271 of Bell et al., the entire disclosure of which is herein incorporated by reference. Suitable polymers which undergo a viscosity increase upon instillation in the eye include
5 polyethylenepolyoxypropylene block copolymers such as poloxamer 407 (*e.g.*, at a concentration of 25%), cellulose acetophthalate (*e.g.*, at a concentration of 30%), or a low-acetyl gellan gum such as Gelrite® (available from CP Kelco, Wilmington, DE). Suitable mucoadhesive polymers include hydrocolloids with multiple hydrophilic functional groups such as carboxyl, hydroxyl, amide and/or
10 sulfate groups; for example, hydroxypropylcellulose, polyacrylic acid, high-molecular weight polyethylene glycols (*e.g.*, >200,000 number average molecular weight), dextrans, hyaluronic acid, polygalacturonic acid, and xylocan. Suitable corneal penetration enhancers include cyclodextrins, benzalkonium chloride, polyoxyethylene glycol lauryl ether (*e.g.*, Brij® 35),
15 polyoxyethylene glycol stearyl ether (*e.g.*, Brij® 78), polyoxyethylene glycol oleyl ether (*e.g.*, Brij® 98), ethylene diamine tetraacetic acid (EDTA), digitonin, sodium taurocholate, saponins and polyoxyethylated castor oil such as Cremaphor EL.

For solid compositions, conventional nontoxic solid carriers can be used;
20 for example, pharmaceutical grades of mannitol, lactose, starch, magnesium stearate, sodium saccharin, talcum, cellulose, glucose, sucrose, magnesium carbonate, and the like.

For example, a solid pharmaceutical composition for oral administration can comprise any of the carriers and excipients listed above and 10-95%,
25 preferably 25%-75%, of one or more siRNA of the invention. A pharmaceutical composition for aerosol (inhalational) administration can comprise 0.01-20% by weight, preferably 1%-10% by weight, of one or more siRNA of the invention encapsulated in a liposome as described above, and propellant. A carrier can also be included as desired; *e.g.*, lecithin for intranasal delivery.

30

The invention will now be illustrated with the following non-limiting examples. The animal experiments described in Examples 4-6 and 8-9 were

performed using the University of Pennsylvania institutional guidelines for the care and use of animals in research. The animal experiment described in Example 10 will be performed in accordance with the Standard Operating Procedures of Sierra Biomedical, 587 Dunn Circle, Sparks, NV, 89431.

5

Example 1 - siRNA Transfection and Hypoxia Induction *In Vitro*

siRNA Design - A 19 nt sequence located 329 nt from the 5' end of human VEGF mRNA was chosen as a target sequence:
10 AAACCTCACCAAGGCCAGCAC (SEQ ID NO: 51). To ensure that it was not contained in the mRNA from any other genes, this target sequence was entered into the BLAST search engine provided by NCBI. The use of the BLAST algorithm is described in Altschul et al. (1990), *J. Mol. Biol.* 215: 403-410 and Altschul et al. (1997), *Nucleic Acids Res.* 25: 3389-3402, the
15 disclosures of which are herein incorporated by reference in their entirety. As no other mRNA was found which contained the target sequence, an siRNA duplex was synthesized to target this sequence (Dharmacon Research, Inc., Lafayette, CO).

The siRNA duplex had the following sense and antisense strands.

20 sense:

5'-accucaccaaggccagcac**TT**-3' (SEQ ID NO: 77).

antisense:

5'-gucguggccuuggugaggu**TT**-3' (SEQ ID NO: 78).

25 Together, the siRNA sense and antisense strands formed a 19 nt double-stranded siRNA with TT 3' overhangs (shown in bold) on each strand. This siRNA was termed "Candidate 5" or "Cand5." Other siRNA which target human VEGF mRNA were designed and tested as described for Cand5.

An siRNA targeting the following sequence in green fluorescent protein
30 (GFP) mRNA was used as a nonspecific control: GGCTACGTCCAGCGCACC (SEQ ID NO: 79). The siRNA was purchased from Dharmacon (Lafayette, CO).

siRNA Transfection and Hypoxia Induction In Vitro - Human cell lines (293; Hela and ARPE19) were separately seeded into 24-well plates in 250 microliters of complete DMEM medium one day prior to transfection, so that the cells were ~50% confluent at the time of transfection. Cells were transfected
5 with 2.5 nM Cand5 siRNA, and with either no siRNA or 2.5 nM non-specific siRNA (targeting GFP) as controls. Transfections were performed in all cell lines with the "Transit TKO Transfection" reagent, as recommended by the manufacturer (Mirus).

Twenty four hours after transfection, hypoxia was induced in the cells by
10 the addition of desferoxamide mesylate to a final concentration of 130 micromolar in each well. Twenty four hours post-transfection, the cell culture medium was removed from all wells, and a human VEGF ELISA (R&D systems, Minneapolis, MN) was performed on the culture medium as described in the Quantikine human VEGF ELISA protocol available from the
15 manufacturer, the entire disclosure of which is herein incorporated by reference.

As can be seen in Fig. 1, RNAi degradation induced by Cand5 siRNA significantly reduces the concentration of VEGF produced by the hypoxic 293 and HeLa cells. There was essentially no difference in the amount of VEGF produced by hypoxic cells treated with either no siRNA or the non-specific
20 siRNA control. Similar results were also seen with human ARPE19 cells treated under the same conditions. Thus, RNA interference with VEGF-targeted siRNA disrupts the pathogenic up-regulation of VEGF in human cultured cells *in vitro*.

The experiment outlined above was repeated on mouse NIH 3T3 cells
25 using a mouse-specific VEGF siRNA (see Example 6 below), and VEGF production was quantified with a mouse VEGF ELISA (R&D systems, Minneapolis, MN) as described in the Quantikine mouse VEGF ELISA protocol available from the manufacturer, the entire disclosure of which is herein incorporated by reference. Results similar to those reported in Fig. 1 for the
30 human cell lines were obtained.

Example 2 - Effect of Increasing siRNA Concentration on VEGF Production in Human Cultured Cells

The experiment outlined in Example 1 was repeated with human 293, HeLa and ARPE19 cells using a range of siRNA concentrations from 10 nM to 50 nM. The ability of the Cand5 siRNA to down-regulate VEGF production increased moderately up to approximately 13 nM siRNA, but a plateau effect was seen above this concentration. These results highlight the catalytic nature of siRNA-mediated RNAi degradation of mRNA, as the plateau effect appears to reflect VEGF production from the few cells not transfected with the siRNA. For the majority of cells which had been transfected with the siRNA, the increased VEGF mRNA production induced by the hypoxia is outstripped by the siRNA-induced degradation of the target mRNA at siRNA concentrations greater than about 13 nM.

15

Example 3 - Specificity of siRNA Targeting

NIH 3T3 mouse fibroblasts were grown in 24-well plates under standard conditions, so that the cells were ~50% confluent one day prior to transfection. The human VEGF siRNA Cand5 was transfected into a NIH 3T3 mouse fibroblasts as in Example 1. Hypoxia was then induced in the transfected cells, and murine VEGF concentrations were measured by ELISA as in Example 1.

20

The sequence targeted by the human VEGF siRNA Cand5 differs from the murine VEGF mRNA by one nucleotide. As can be seen in Fig. 2, the human VEGF siRNA has no affect on the ability of the mouse cells to up-regulate mouse VEGF after hypoxia. These results show that siRNA induced RNAi degradation is sequence-specific to within a one nucleotide resolution.

25

Example 4 - *In Vivo* delivery of siRNA to Murine Retinal Pigment Epithelial Cells

30

VEGF is upregulated in the retinal pigment epithelial (RPE) cells of human patients with age-related macular degeneration (ARMD). To show that functional siRNA can be delivered to RPE cells *in vivo*, GFP was expressed in

mouse retinas with a recombinant adenovirus, and GFP expression was silenced with siRNA. The experiment was conducted as follows.

One eye from each of five adult C57/Black6 mice (Jackson Labs, Bar Harbor, ME) was injected subretinally as described in Bennett et al. (1996),
5 *supra.*, with a mixture containing $\sim 1 \times 10^8$ particles of adenovirus containing eGFP driven by the CMV promoter and 20 picomoles of siRNA targeting eGFP conjugated with transit TKO reagent (Mirus).

As positive control, the contralateral eyes were injected with a mixture containing $\sim 1 \times 10^8$ particles of adenovirus containing eGFP driven by the CMV
10 promoter and 20 picomoles of siRNA targeting human VEGF conjugated with transit TKO reagent (Mirus). Expression of GFP was detected by fundus ophthalmoscopy 48 hours and 60 hours after injection. Animals were sacrificed at either 48 hours or 60 hours post-injection. The eyes were enucleated and fixed in 4% paraformaldehyde, and were prepared either as flat mounts or were
15 processed into 10 micron cryosections for fluorescent microscopy.

No GFP fluorescence was detectable by ophthalmoscopy in the eyes which received the siRNA targeted to GFP mRNA in 4 out of 5 mice, whereas GFP fluorescence was detectable in the contralateral eye which received the non-specific control siRNA. A representative flat mount analyzed by
20 fluorescence microscopy showed a lack of GFP fluorescence in the eye which received GFP siRNA, as compared to an eye that received the non-specific control siRNA. Cryosections of another retina showed that the recombinant adenovirus efficiently targets the RPE cells, and when the adenovirus is accompanied by siRNA targeted to GFP mRNA, expression of the GFP
25 transgene is halted.

While there is some GFP fluorescence detectable by fluorescence microscopy in eyes that received siRNA targeted to GFP mRNA, the fluorescence is greatly suppressed as compared to controls that received non-specific siRNA. These data demonstrate that functional siRNA can be delivered
30 *in vivo* to RPE cells.

Example 5 - *In Vivo* Expression and siRNA-Induced RNAi Degradation of Human VEGF in Murine Retinas

In order to demonstrate that siRNA targeted to VEGF functioned *in vivo*,
5 an exogenous human VEGF expression cassette was delivered to mouse RPE cells via an adenovirus by subretinal injection, as in Example 4. One eye received Cand5 siRNA, and the contralateral eye received siRNA targeted to GFP mRNA. The animals were sacrificed 60 hours post-injection, and the injected eyes were removed and snap frozen in liquid N₂ following enucleation.
10 The eyes were then homogenized in lysis buffer, and total protein was measured using a standard Bradford protein assay (Roche, Germany). The samples were normalized for total protein prior to assaying for human VEGF by ELISA as described in Example 1.

The expression of VEGF was somewhat variable from animal to animal.
15 The variability of VEGF levels correlated well to those observed in the GFP experiments of Example 4, and can be attributed to some error from injection to injection, and the differential ability of adenovirus to delivery the target gene in each animal. However, there was a significant attenuation of VEGF expression in each eye that received VEGF siRNA, as compared to the eyes receiving the
20 non-specific control siRNA (Figure 4). These data indicate that the Cand5 siRNA was potent and effective in silencing human VEGF expression in murine RPE cells *in vivo*.

Example 6 - Inhibition of Choroidal Neovascularization in the Mouse CNV Model

There is evidence that choroidal neovascularization in ARMD is due to the upregulation of VEGF in the RPE cells. This human pathologic condition can be modeled in the mouse by using a laser to burn a spot on the retina ("laser
30 photo-coagulation" or "laser induction"). During the healing process, VEGF is believed to be up-regulated in the RPE cells of the burned region, leading to re-vascularization of the choroid. This model is called the mouse choroidal neovascularization ("CNV") model.

For rescue of the mouse CNV model, a mouse siRNA was designed that
35 incorporated a one nucleotide change from the human "Cand5" siRNA from

Example 1. The mouse siRNA specifically targeted mouse VEGF mRNA at the sequence AAACCUCACCAAAGCCAGCAC (SEQ ID NO: 80). Other siRNA that target mouse VEGF were also designed and tested. The GFP siRNA used as a nonspecific control in Example 1 was also used as a non-specific control
5 here.

Twenty four hours after laser induction, one eye from each of eleven adult C57/Black6 mice (Jackson Labs, Bar Harbor, ME) was injected subretinally with a mixture containing $\sim 1 \times 10^8$ particles of adenovirus containing LacZ driven by the CMV promoter and 20 picomoles of siRNA targeting mouse
10 VEGF conjugated with transit TKO reagent (Mirus), as in Example 4. As a control, contralateral eyes received a mixture containing $\sim 1 \times 10^8$ particles of adenovirus containing LacZ driven by the CMV promoter and 20 picomoles of siRNA targeting GFP conjugated with transit TKO reagent (Mirus).

Fourteen days after the laser treatment, the mice were perfused with fluorescein and the area of neovascularization was measured around the burn spots. Areas of the burn spots in the contra-lateral eye were used as a control. The site of neovascularization around the burn spots in animals that received siRNA targeting mouse VEGF was, on average, 1/4 the area of the control areas. These data support the use of VEGF-directed siRNA (also called "anti-VEGF
15 siRNA") for therapy of ARMD.
20

Example 7 - Generation of an Adeno-Associated Viral Vector for Expression of siRNA

25 A "cis-acting" plasmid for generating a recombinant AAV vector for delivering an siRNA of the invention was generated by PCR based subcloning, essentially as described in Samulski R et al. (1987), *supra*. The cis-acting plasmid was called "pAAVsiRNA."

The *rep* and *cap* genes of psub201 were replaced with the following
30 sequences in this order: a 19 nt sense RNA strand coding sequence in operable connection with a polyT termination sequence under the control of a human U6 RNA promoter, and a 19 nt antisense RNA strand coding sequence in operable connection with a polyT termination sequence under the control of a human U6 RNA promoter. A schematic representation of pAAVsiRNA is given in Fig. 5.

A recombinant AAV siRNA vector was obtained by transfecting pAAVsiRNA into human 293 cells previously infected with E1-deleted adenovirus, as described in Fisher KJ et al. (1996), *supra*. The AAV rep and cap functions were provided by a trans-acting plasmid pAAV/Ad as described in Samulski R et al. (1989), *supra*. Production lots of the recombinant AAV siRNA vector were titered according to the number of genome copies/ml, as described in Fisher KJ et al. (1996), *supra*.

Example 8 – VEGF-Directed siRNA Inhibits Experimental Choroidal Neovascularization

The ability of murine VEGF-directed siRNA to inhibit experimental laser-induced choroidal neovascularization (CNV) in mice was tested as follows.

The retinas of adult female C57BL/6 mice were laser photocoagulated using an 810 nm diode laser (75 um, 140 mw, 0.10 seconds) (OcuLight Six; IRIS Medical, Mountain View, CA). Three laser spots were applied to both eyes of each mouse. Thirty-six hours following laser photocoagulation, an siRNA targeted to mouse VEGF ("mVEGF1.siRNA") was delivered subretinally or intravitreally to one eye of each mouse. For subretinal injection, the siRNA was conjugated with Transit TKO transfection reagent (Mirus) and mixed with recombinant adenovirus (rAdenovirus). For intravitreal injection, the siRNA was delivered in the absence of transfection reagent and rAdenovirus. As a control, the contralateral eyes of each mouse received subretinal or intravitreal injections of identical formulations with an siRNA targeted to GFP ("GFP1.siRNA"), which has no homology to mouse VEGF.

Fourteen days following laser treatment, all animals were perfused with high molecular weight FITC-dextran, choroidal flat mounts were prepared as described above, and the flat mounts were photographed and analyzed microscopically in a masked fashion. The area of CNV in each flat mount was measured with Openlab software (Improvision, Boston, MA). The mean areas of CNV in eyes treated with mVEGF1.siRNA were significantly smaller than

those areas from GFP1.siRNA-treated eyes for both subretinal (Fig. 6A; $P < 0.003$) and intravitreal (Fig. 6B; $P < 0.04$) delivery.

In a second experiment, the retinas of adult female C57BL/6 mice were laser photocoagulated as described above, and the animals were divided into control and test groups. One day following laser photocoagulation, phosphate buffered saline was delivered intravitreally to the animals of the control group, which were perfused with dextran-fluorescein 14 days after laser treatment. Choroidal flat mounts were then prepared and the areas of CNV in each flat mount were measured as above.

Fourteen days following laser photocoagulation, mVEGF1.siRNA was delivered by intravitreal injection into one eye of each mouse in the test group. Contralateral eyes were injected with GFP1.siRNA as a control. The test group animals were perfused with high molecular weight dextran-fluorescein 21 days after laser treatment. Choroidal flat mounts were then prepared and the areas of CNV in each flat mount were measured, as above.

In this latter experiment, the anti-VEGF siRNA was administered during CNV growth, as opposed to before CNV growth, and thus is more representative of the condition of human patients presenting with wet AMD. As can be seen from Fig. 6, the mean areas of CNV in mVEGF1.siRNA-treated eyes were significantly smaller than those areas measured in GFP1.siRNA-treated eyes (Fig. 6C; $P < 0.05$). The mean areas of CNV in mVEGF1.siRNA-treated eyes at day 21 and control ("PBS") eyes at day 14 were not significantly different (Fig. 6C; $P = 0.469$).

The results of these experiments indicate that age-related macular degeneration can be treated with anti-VEGF siRNA.

Example 9 – In Vivo RNA Interference of Human VEGF Induced by anti-VEGF siRNA in Murine RPE Cells

The ability of Cand5 siRNA to induce RNAi of VEGF *in vivo* over time was evaluated as follows.

AAV.CMV.VEGF, which expresses human VEGF from an adeno-associated viral vector, was generously provided by Dr. A. Auricchio.

AAV.CMV.VEGF was injected subretinally and bilaterally in eyes of five C57Bl/6 mice. Twenty-eight days after injection of AAV.CMV.VEGF, Cand5 siRNA was delivered by intravitreal injection into one eye and control GFP1.siRNA was delivered by intravitreal injection in the contralateral eye of each animal.

At day 0 (pre-siRNA injection), and at 6, 10 and 14 days after siRNA injection, the mice were sacrificed and the eyes were snap frozen in liquid nitrogen following enucleation. The eyes were then homogenized in lysis buffer (Roche, Basel, Switzerland), and total protein was measured using a Bradford assay, as in Example 5 above. Two mice were used for the 0 day time point (n=2), and three mice each were used for the 6, 10 and 14 day time points (n=3). The samples were normalized for total protein prior to assaying for human VEGF by ELISA, according to the manufacturer's recommendations (R&D systems, Minneapolis, Minnesota). Percent of VEGF (%VEGF) for each mouse was calculated as the concentration of VEGF ("[VEGF]") in the eye injected with Cand5 divided by the [VEGF] in the eye injected with GFP1.siRNA, multiplied by 100.

As can be seen from Figure 7, a single injection of Cand5 induced an RNAi-mediated decrease in VEGF levels of approximately 70% by day 6 post-siRNA injection, with a reduction in VEGF production of approximately 35% continuing through at least day 14 post-siRNA injection. These results indicate that siRNA directed against human VEGF is capable of inducing RNAi of human VEGF *in vivo* for a sustained period of time.

Example 10 – In Vivo RNA Interference of VEGF in Monkeys with Anti-VEGF siRNA

It is expected that 10 naïve cynomolgus monkeys (*Macaca fascicularis*) will be subjected to laser photocoagulation of the retina in both eyes to induce choroidal neovascularization ("CNV"). The following represents the intended experimental plan to evaluate the ability of Cand5 siRNA to reduce the area of CNV in the monkeys. As the VEGF RNA sequence targeted by Cand5 is

identical in both *Homo sapiens* and *M. fascicularis*, Cand5 is expected to induce RNAi of *M. fascicularis* VEGF RNA.

The experiment will be carried out by Sierra Biomedical ("SBI"), 587 Dunn Circle, Sparks, NV, 89431, in accordance with SBI's Standard Operating Procedures. All monkeys will undergo a full pre-study health screen consisting of a physical examination, hematologic and ophthalmologic evaluations, serum chemistry, and electroretinography ("ERG"). A pre-study fluorescein angiography of the monkeys' eyes will also be performed, and intraocular pressure will be measured pre-study and at two additional time points during the study period.

On day zero, both eyes of all 10 monkeys will be laser photocoagulated to induce choroidal neovascularization. The animals will receive twice-daily cageside observations and a once-daily qualitative assessment of food consumption throughout the experiment. At 14 days post laser induction, the monkeys will receive intravitreally one 50 microliter dose of a Treatment or Control formulation (see below) in each eye, in a randomized, double-blind fashion. For example, a given animal could receive a Treatment 1 dose in the right eye, and a Control dose in the left eye. Another animal could receive a Treatment 1 dose in the right eye, and a Treatment 3 dose in the left eye. It is expected that four eyes will receive each formulation, for a total of 1 control and four treatment groups of four eyes each.

The formulations will be: Control - balanced saline solution ("BSS") alone; Treatment 1 - 1 mg/ml Cand5 in BSS; Treatment 2 - 2.5 mg/ml Cand5 in BSS; Treatment 3 - 5 mg/ml Cand5 in BSS; and Treatment 4 - 10 mg/ml Cand5 in BSS. Prior to injection, it is expected that the pH, osmolarity, and the absorbance at 260 nm of each formulation will be measured.

After laser induction, a fluorescein angiography will be performed on both eyes of each monkey weekly up through the seventh week after laser induction. The monkeys will then be sacrificed, and a complete necropsy will be performed with a full tissue collection (~45 tissues including a vitreous sample) and histopathologic evaluation of the collected tissues. An ERG will be taken pre-necropsy.

It is expected that the laser-induced areas of CNV will be reduced upon administration of the Cand5 siRNA, with the CNV area decreasing with increasing dose of Can5. However, a plateau effect such as is described above in Example 2 may be observed. The Cand5 siRNA is not expected to effect any
5 other organ or tissue except the choroid in the eye.

We claim:

1. An isolated siRNA comprising a sense RNA strand and an antisense RNA strand, wherein the sense and an antisense RNA strands form an RNA duplex, and wherein the sense RNA strand comprises a nucleotide sequence identical to a target sequence of about 19 to about 25 contiguous nucleotides in human VEGF mRNA, human Flt-1 mRNA, or human Flk-1/KDR mRNA, or an alternative splice form, mutant or cognate thereof.
2. The siRNA of claim 1, wherein the human VEGF mRNA is selected from the group consisting of VEGF₁₂₁ mRNA (SEQ ID NO: 2); VEGF₁₆₅ mRNA (SEQ ID NO: 3); VEGF₁₈₉ mRNA (SEQ ID NO: 4) and VEGF₂₀₆ mRNA (SEQ ID NO: 5).
3. The siRNA of claim 1, wherein the cognate of the human VEGF mRNA sequence is mouse VEGF mRNA (SEQ ID NO: 1).
4. The siRNA of claim 1, wherein the sense RNA strand comprises SEQ ID NO: 77, and the antisense strand comprises SEQ ID NO: 78.
5. The siRNA of claim 1, wherein the sense RNA strand comprises one RNA molecule, and the antisense RNA strand comprises one RNA molecule.
6. The siRNA of claim 1, wherein the sense and antisense RNA strands forming the RNA duplex are covalently linked by a single-stranded hairpin.
7. The siRNA of claim 1, wherein the siRNA further comprises non-nucleotide material.
8. The siRNA of claim 1, wherein the sense and antisense RNA strands are stabilized against nuclease degradation.

9. The siRNA of claim 1, further comprising a 3' overhang.
10. The siRNA of claim 9, wherein the 3' overhang comprises from 1 to about 6 nucleotides.
11. The siRNA of claim 9, wherein the 3' overhang comprises about 2 nucleotides.
12. The siRNA of claim 5, wherein the sense RNA strand comprises a first 3' overhang, and the antisense RNA strand comprises a second 3' overhang.
13. The siRNA of claim 12, wherein the first and second 3' overhangs separately comprise from 1 to about 6 nucleotides.
14. The siRNA of claim 13, wherein the first 3' overhang comprises a dinucleotide and the second 3' overhang comprises a dinucleotide.
15. The siRNA of claim 14, where the dinucleotide comprising the first and second 3' overhangs is dithymidylic acid (TT) or diuridylic acid (uu).
16. The siRNA of claim 9, wherein the 3' overhang is stabilized against nuclease degradation.
17. A retinal pigment epithelial cell comprising the siRNA of claim 1.
18. A recombinant plasmid comprising nucleic acid sequences for expressing an siRNA comprising a sense RNA strand and an antisense RNA strand, wherein the sense and an antisense RNA strands form an RNA duplex, and wherein the sense RNA strand comprises a nucleotide sequence identical to a target sequence of about 19 to about 25 contiguous nucleotides in human VEGF mRNA, human Flt-1 mRNA, or human Flk-1/KDR mRNA, or an alternative splice form, mutant or cognate thereof.

19. The recombinant plasmid of claim 18, wherein the nucleic acid sequences for expressing the siRNA comprise an inducible or regulatable promoter.

20. The recombinant plasmid of claim 18, wherein the nucleic acid sequences for expressing the siRNA comprise a sense RNA strand coding sequence in operable connection with a polyT termination sequence under the control of a human U6 RNA promoter, and an antisense RNA strand coding sequence in operable connection with a polyT termination sequence under the control of a human U6 RNA promoter.

21. The recombinant plasmid of claim 20, wherein the plasmid is pAAVsiRNA.

22. A recombinant viral vector comprising nucleic acid sequences for expressing an siRNA comprising a sense RNA strand and an antisense RNA strand, wherein the sense and an antisense RNA strands form an RNA duplex, and wherein the sense RNA strand comprises a nucleotide sequence identical to a target sequence of about 19 to about 25 contiguous nucleotides in human VEGF mRNA, human Flt-1 mRNA, or human Flk-1/KDR mRNA, or an alternative splice form, mutant or cognate thereof.

23. The recombinant viral vector of claim 22, wherein the nucleic acid sequences for expressing the siRNA comprise an inducible or regulatable promoter.

24. The recombinant viral vector of claim 22, wherein the nucleic acid sequences for expressing the siRNA comprise a sense RNA strand coding sequence in operable connection with a polyT termination sequence under the control of a human U6 RNA promoter, and an antisense RNA strand coding sequence in operable connection with a polyT termination sequence under the control of a human U6 RNA promoter.

25. The recombinant viral vector of claim 22, wherein the recombinant viral vector is selected from the group consisting of an adenoviral vector, an adeno-associated viral vector, a lentiviral vector, a retroviral vector, and a herpes virus vector.

26. The recombinant viral vector of claim 22, wherein the recombinant viral vector is pseudotyped with surface proteins from vesicular stomatitis virus, rabies virus, Ebola virus, or Mokola virus.

27. The recombinant viral vector of claim 25, wherein the recombinant viral vector comprises an adeno-associated viral vector.

28. A pharmaceutical composition comprising an siRNA and a pharmaceutically acceptable carrier, wherein the siRNA comprises a sense RNA strand and an antisense RNA strand, wherein the sense and an antisense RNA strands form an RNA duplex, and wherein the sense RNA strand comprises a nucleotide sequence identical to a target sequence of about 19 to about 25 contiguous nucleotides in human VEGF mRNA, human Flt-1 mRNA, or human Flk-1/KDR mRNA, or an alternative splice form, mutant or cognate thereof.

29. The pharmaceutical composition of claim 28, further comprising lipofectin, lipofectamine, cellfectin, polycations, or liposomes.

30. A pharmaceutical composition comprising the plasmid of claim 18, or a physiologically acceptable salt thereof, and a pharmaceutically acceptable carrier.

31. The pharmaceutical composition of claim 30, further comprising lipofectin, lipofectamine, cellfectin, polycations, or liposomes.

32. A pharmaceutical composition comprising the viral vector of claim 22 and a pharmaceutically acceptable carrier.

33. A method of inhibiting expression of human VEGF mRNA, human Flt-1 mRNA, or human Flk-1/KDR mRNA, or an alternative splice form, mutant or cognate thereof, comprising administering to a subject an effective amount of an siRNA comprising a sense RNA strand and an antisense RNA strand, wherein the sense and an antisense RNA strands form an RNA duplex, and wherein the sense RNA strand comprises a nucleotide sequence identical to a target sequence of about 19 to about 25 contiguous nucleotides in human VEGF mRNA, human Flt-1 mRNA, or human Flk-1/KDR mRNA, or an alternative splice form, mutant or cognate thereof, such that the human VEGF mRNA, human Flt-1 mRNA, or human Flk-1/KDR mRNA, or an alternative splice form, mutant or cognate thereof, is degraded.

34. The method of claim 33, wherein the subject is a human being.

35. The method of claim 33, wherein expression of human VEGF mRNA, human Flt-1 mRNA, or human Flk-1/KDR mRNA, or an alternative splice form, mutant or cognate thereof is inhibited in one or both eyes of the subject.

36. The method of claim 33, wherein expression of human VEGF mRNA, human Flt-1 mRNA, or human Flk-1/KDR mRNA, or an alternative splice form, mutant or cognate thereof is inhibited in retinal pigment epithelial cells of the subject.

37. The method of claim 33, wherein the effective amount of the siRNA is from about 1 nM to about 100 nM.

38. The method of claim 33, wherein the siRNA is administered in conjunction with a delivery reagent.

39. The method of claim 38, wherein the delivery agent is selected from the group consisting of lipofectin, lipofectamine, cellfectin, polycations, and liposomes.

40. The method of claim 39, wherein the delivery agent is a liposome.

41. The method claim 40, wherein the liposome comprises a ligand which targets the liposome to cells at or near the site of angiogenesis.

42. The method of claim 41, wherein the ligand binds to receptors on tumor cells or vascular endothelial cells.

43. The method of claim 42, wherein the ligand comprises a monoclonal antibody.

44. The method of claim 40, wherein the liposome is modified with an opsonization-inhibition moiety.

45. The method of claim 44, wherein the opsonization-inhibiting moiety comprises a PEG, PPG, or derivatives thereof.

46. The method of claim 33, wherein the siRNA is expressed from a recombinant plasmid

47. The method of claim 33, wherein the siRNA is expressed from a recombinant viral vector.

48. The method of claim 47, wherein the recombinant viral vector comprises an adenoviral vector, an adeno-associated viral vector, a lentiviral vector, a retroviral vector, or a herpes virus vector.

49. The method of claim 48, wherein the recombinant viral vector is pseudotyped with surface proteins from vesicular stomatitis virus, rabies virus, Ebola virus, or Mokola virus.

50. The method of claim 47, wherein the recombinant viral vector comprises an adeno-associated viral vector.

51. The method of claim 33, wherein the siRNA is administered by an enteral administration route.

52. The method of claim 51, wherein the enteral administration route is selected from the group consisting of oral, rectal, and intranasal.

53. The method of claim 33, wherein the siRNA is administered by a parenteral administration route.

54. The method of claim 53, wherein the parenteral administration route is selected from the group consisting of intravascular administration, peri- and intra-tissue administration, subcutaneous injection or deposition, subcutaneous infusion, intraocular administration, and direct application at or near the site of neovascularization.

55. The method of claim 54, wherein the intravascular administration is selected from the group consisting of intravenous bolus injection, intravenous infusion, intra-arterial bolus injection, intra-arterial infusion and catheter instillation into the vasculature.

56. The method of claim 54, wherein the peri- and intra-tissue injection comprises peri-tumoral injection or intra-tumoral injection.

57. The method of claim 54, wherein the intraocular administration comprises intravitreal, intraretinal, subretinal, subtenon, peri- and retro-orbital, trans-corneal or trans-scleral administration.

58. The method of claim 54, wherein the direct application at or near the site of neovascularization comprises application by catheter, corneal pellet, eye dropper, suppository, an implant comprising a porous material, an implant comprising a non-porous material, or an implant comprising a gelatinous material.

59. The method of claim 54, wherein the site of neovascularization is in the eye, and the direct application at or near the site of neovascularization comprises application by an ocular implant.

60. The method of claim 59, wherein the ocular implant is biodegradable.

61. A method of inhibiting angiogenesis in a subject, comprising administering to a subject an effective amount of an siRNA comprising a sense RNA strand and an antisense RNA strand, wherein the sense and an antisense RNA strands form an RNA duplex, and wherein the sense RNA strand comprises a nucleotide sequence identical to a target sequence of about 19 to about 25 contiguous nucleotides in human VEGF mRNA, human Flt-1 mRNA, or human Flk-1/KDR mRNA, or an alternative splice form, mutant or cognate thereof.

62. The method of claim 61, wherein the angiogenesis is pathogenic.

63. The method of claim 61, wherein the angiogenesis is non-pathogenic.

64. The method of claim 63, wherein the non-pathogenic angiogenesis is associated with production of fatty tissues or cholesterol production.

65. The method of claim 63, wherein the non-pathogenic angiogenesis comprises endometrial neovascularization.

66. The method of claim 61, wherein the angiogenesis is inhibited in one or both eyes of the subject.

67. The method of claim 61, wherein the angiogenesis is inhibited in retinal pigment epithelial cells of the subject.

68. A method of treating an angiogenic disease in a subject, comprising administering to a subject in need of such treatment an effective amount of an siRNA comprising a sense RNA strand and an antisense RNA strand, wherein the sense and an antisense RNA strands form an RNA duplex, and wherein the sense RNA strand comprises a nucleotide sequence identical to a target sequence of about 19 to about 25 contiguous nucleotides in human VEGF mRNA, human Flt-1 mRNA, or human Flk-1/KDR mRNA, or an alternative splice form, mutant or cognate thereof, such that angiogenesis associated with the angiogenic disease is inhibited.

69. The method of claim 68, wherein the angiogenic disease comprises a tumor associated with a cancer.

70. The method of claim 69, wherein the cancer is selected from the group consisting of breast cancer, lung cancer, head and neck cancer, brain cancer, abdominal cancer, colon cancer, colorectal cancer, esophagus cancer, gastrointestinal cancer, glioma, liver cancer, tongue cancer, neuroblastoma, osteosarcoma, ovarian cancer, pancreatic cancer, prostate cancer, retinoblastoma, Wilm's tumor, multiple myeloma, skin cancer, lymphoma, and blood cancer.

71. The method of claim 68, wherein the angiogenic disease is selected from the group consisting of diabetic retinopathy, age-related macular degeneration, and inflammatory diseases.

72. The method of claim 71, wherein the inflammatory disease is psoriasis or rheumatoid arthritis.

73. The method of claim 71, wherein the angiogenic disease is age-related macular degeneration.

74. The method of claim 68, wherein the siRNA is administered in combination with a pharmaceutical agent for treating the angiogenic disease, which pharmaceutical agent is different from the siRNA.

75. The method of claim 74, wherein the angiogenic disease is cancer, and the pharmaceutical agent comprises a chemotherapeutic agent.

76. The method of claim 74, wherein the chemotherapeutic agent is selected from the group consisting of cisplatin, carboplatin, cyclophosphamide, 5-fluorouracil, adriamycin, daunorubicin, and tamoxifen.

77. The method of claim 68, wherein the siRNA is administered to a subject in combination with another therapeutic method designed to treat the angiogenic disease.

78. The method of claim 77, wherein the angiogenic disease is cancer, and the siRNA is administered in combination with radiation therapy, chemotherapy or surgery.

1/8




FIG. 1A




FIG. 1B

2/8




FIG. 2

3/8




FIG. 3

4/8




FIG. 4

5/8




FIG. 5

6/8




FIG. 6A




FIG. 6B

7/8




FIG. 6C

8/8




FIG. 7

SEQUENCE LISTING

<110> The Trustees of the University of Pennsylvania
 Tolentino, Michael J.
 Reich, Samuel Jotham

<120> Compositions and Methods for siRNA
 Inhibition of Angiogenesis

<130> 43826-1 PC

<150> US 60/398,417

<151> 2002-07-24

<150> US 10/294,228

<151> 2002-11-14

<160> 864

<170> FastSEQ for Windows Version 4.0

<210> 1

<211> 2250

<212> DNA

<213> Mus musculus

<400> 1

```

tgagccaggc tggcaggaag gagcctccct caggggtttcg ggaaccagac ctctcaccgg 60
aaagaccgat taaccatgtc accaccacgc catcatcgtc accgttgaca gaacagtcct 120
taatccagaa agcctgacat gaaggaagag gagactcttc gaggagcact ttgggtccgg 180
agggcgagac tccggcagac gcattcccgg gcaggtgacc aagcacggtc cctcgtggga 240
ctggattcgc ctttttctta tatctgctgc taaatcgcca agcccggaag attagggttg 300
tttctgggat tcctgtagac acaccacccc acatacacac atatatatat attatatata 360
taaataaata tatatgtttt atatataaaa tatatatata ttcttttttt taaattaact 420
ctgctaattgt tattgggtgtc ttacttggat atgtttgact gctgtggact tgtgttggga 480
ggaggatgtc ctactcggga tgccgacatg ggagacaatg ggatgaaagg cttcagtgtg 540
gtctgagaga ggccgaagt cttttgcctg ccggggagca agcaaggcca gggcacgggg 600
gcacattggc tcaactccag aaacacgaca aaccattcc tggccctgag tcaagaggac 660
agagagacag atgatgacac agaaagagat aaagatgccg gttccaacca gaagtttggg 720
gagcctcagg acatggcatg ctttgtggat ccccatgata gtctacaaaa gcaccccgcc 780
cctctgggca ctgcctggaa gaatcgggag cctggccagc cttcagctcg ctctccact 840
tctgaggggc ctaggaggcc tcccacaggt gtcccggcaa gagaagacac ggtggtggaa 900
gaagaggcct ggtaatggc cctcctcctg ggacccttc gtctctcct taccacact 960
cctgggtaca gccaggagg accttgtgtg atcagaccat tgaaccact aattctgtcc 1020
ccaggagact tggctctgtg tgtgagtggc ttacccttcc tcacttccc ttcccaaggc 1080
acagagcaat ggggcaggac ccgcaagccc ctacggagg cagagaaaag agaaagtgtt 1140
ttatatacgg tacttattta atagcccttt ttaattagaa attaaaacag ttaattta 1200
taaagagtag ggtttttttc agtattcttg gttaatat ttaattcaact atttatgaga 1260
tgtatctctc gctctctctt atttgtactt atgtgtgtgt gtgtgtgtgt gtgtgtgtgt 1320
gtgtgtgtgt gtatgaaatc tgtgtttcca atctctctct cccagatcgg tgacagtcac 1380
tagcttgtcc tgagaagata ttttaatttg ctaacactca gctctgccct cccttgtccc 1440
caccacacat tcctttgaaa taaggtttca atatacattt acatactata tatatatattg 1500
gcaacttgtg tttgtatata aatatatata tatatatatg tttatgtata tatgtgattc 1560
tgataaaata gacattgcta ttctgttttt tatatgtaaa aacaaaacaa gaaaaataga 1620
gaattctaca tactaaatct ctctcctttt ttaattttta tatttgttat catttattta 1680
ttggtgctac tgtttatccg taataattgt gggggaaaaa gatattaaca tcacgtcttt 1740
gtctctagag cagttttccg agatattccg tagtacatat ttatttttaa acagcaacaa 1800
agaaatacag atatatctta aaaaaaagc attttgtatt aaagaattga attctgatct 1860

```

```

caaagctctc cctgggtctc ccttctctcc tgggccctcc tgtctcgctt tccctcctcc 1920
tttgggggtac atagtttttg tcttaggttt gagaagcagt ccctggagta gaatatgggg 1980
tgacccatcc attcctgggc ggaggggaga tggctccttt gccaagggtc ctcacactac 2040
gtgtactct gttccttgtc agacaaggat gggggcatgt ctccaggtgc taactggaga 2100
tcggagagag ctgttggtg cagctggcca ggatttgggc atgccgggga catgggaggc 2160
tgtgagccca gcatgcagtt tacttctggg tgctaaatgg aagagtcag taaaaagagt 2220
cttgcccatg ggattccatt ccgctttgtg 2250

```

<210> 2

<211> 444

<212> DNA

<213> Homo sapiens

<400> 2

```

atgaactttc tgctgtcttg ggtgcattgg agccttgccct tgctgtctta cctccaccat 60
gccaaagtgg cccaggctgc acccatggca gaaggaggag ggcagaatca tcacgaagtg 120
gtgaagttca tggatgtcta tcagcgagc tactgccatc caatcgagac cctgggtggac 180
atcttccagg agtaccctga tgagatcgag tacatcttca agccatcctg tgtgcccctg 240
atgcgatgcg ggggctgctg caatgacgag ggcctggagt gtgtgcccac tgaggagtcc 300
aacatcacca tgcagattat gcggatcaaa cctcaccaag gccagcacat aggagagatg 360
agcttccctac agcacaacaa atgtgaatgc agaccaaaga aagatagagc aagacaagaa 420
aaatgtgaca agccgaggcg gtga 444

```

<210> 3

<211> 576

<212> DNA

<213> Homo sapiens

<400> 3

```

atgaactttc tgctgtcttg ggtgcattgg agccttgccct tgctgtctta cctccaccat 60
gccaaagtgg cccaggctgc acccatggca gaaggaggag ggcagaatca tcacgaagtg 120
gtgaagttca tggatgtcta tcagcgagc tactgccatc caatcgagac cctgggtggac 180
atcttccagg agtaccctga tgagatcgag tacatcttca agccatcctg tgtgcccctg 240
atgcgatgcg ggggctgctg caatgacgag ggcctggagt gtgtgcccac tgaggagtcc 300
aacatcacca tgcagattat gcggatcaaa cctcaccaag gccagcacat aggagagatg 360
agcttccctac agcacaacaa atgtgaatgc agaccaaaga aagatagagc aagacaagaa 420
aatccctgtg ggccttgctc agagcggaga aagcatttgt ttgtacaaga tccgcagacg 480
tgtaaatgtt cctgcaaaaa cacagactcg cggtgcaagg cgaggcagct tgagttaaac 540
gaacgtactt gcagatgtga caagccgagg cgggtga 576

```

<210> 4

<211> 648

<212> DNA

<213> Homo sapiens

<400> 4

```

atgaactttc tgctgtcttg ggtgcattgg agccttgccct tgctgtctta cctccaccat 60
gccaaagtgg cccaggctgc acccatggca gaaggaggag ggcagaatca tcacgaagtg 120
gtgaagttca tggatgtcta tcagcgagc tactgccatc caatcgagac cctgggtggac 180
atcttccagg agtaccctga tgagatcgag tacatcttca agccatcctg tgtgcccctg 240
atgcgatgcg ggggctgctg caatgacgag ggcctggagt gtgtgcccac tgaggagtcc 300
aacatcacca tgcagattat gcggatcaaa cctcaccaag gccagcacat aggagagatg 360
agcttccctac agcacaacaa atgtgaatgc agaccaaaga aagatagagc aagacaagaa 420
aaaaaatcag ttccaggaaa gggaaagggg caaaaacgaa agcgcaagaa atcccggat 480
aagtcctgga gcgttccctg tgggccttgc tcagagcgga gaaagcattt gtttgtacaa 540
gatccgcaga cgtgtaaatg ttcttgcaaa aacacagact cgcgttgcaa ggcgaggcag 600
cttgagttaa acgaacgtac ttgcagatgt gacaagccga ggcggtga 648

```

<210> 5

<211> 670

<212> DNA

<213> Homo sapiens

<400> 5

```

gccttgctgc tctacctcca ccatgccaa ggtgccagg ctgcacccat ggcagaagga 60
ggagggcaga atcatcacga agtgggtaag ttcatggatg tctatcagcg cagctactgc 120
catccaatcg agaccctggg ggacatcttc caggagtacc ctgatgagat cgagtacatc 180
ttcaagccat cctgtgtgcc cctgatgcga tgcgggggct gctgcaatga cgagggcctg 240
gagtgtgtgc ccatgagga gtccaacatc accatgcaga ttatgcggat caaacctcac 300
caaggccagc acataggaga gatgagcttc ctacagcaca acaaatgtga atgcagacca 360
aagaaggata gagcaagaca agaaaaaaaa tcagttcgag gaaagggaaa ggggcaaaaa 420
cgaaagcgca agaaatcccc gtataagtcc tggagcggtt acgttggtgc ccgtgctgt 480
ctaatgcctt ggagcctccc tggcccccat ccctgtgggc cttgctcaga gcggagaaa 540
catttgcttg tacaagatcc gcagacgtgt aaatgttcct gcaaaaacac agactcgcgt 600
tgcaagcgca ggcagcttga gttaaacgaa cgtacttgca gatgtgacaa gccgaggcgg 660
tgatgaatga                                     670

```

<210> 6

<211> 1137

<212> DNA

<213> Homo sapiens

<400> 6

```

atgctcattg tccagactgg ggtcagatca gcaaacaaag ggcctctgat ggtgattggt 60
gaatattgca aatatggaaa tctatccaac tacctcaaga gcaaatatga cttatttttt 120
ctcgacaagg atgtggcatc acacatggag cgtaagaaag aaaaaatgga gccaggcctg 180
gaacaaggca agaaaacaaa actagatagc atcaccagca gcgagagctt tgggagctcc 240
aagtttcagg aagataaaaa tctgagtgat gttgaggaag aggaggattc tgatggtttc 300
taccaggagc ccatcactat ggaagatctg atttcttaca gttttcaagt ggccagaggc 360
atgaagtttc tgtcttccag aaagtgcatt cattgggacc tggcagcaag aaacattctt 420
ttatctgaga acaatgtggt gaagatttgt gattttggcc ttgccagga tatttacaag 480
aacgccgatt atgtgagaaa aggaggtggg tctccatacc caggagtgca aatggatgag 540
cacttctgca gttgcctgag ggaaggcatg aggatgagag ctgctgagta ctccactcct 600
gaaatctatc agatcatgct ggactgcagg cacaaagacc caaaagaaag gccaaagattt 660
gcagaacttg tggaaaaact agaaaatagt ggggtttacat actcaactcc tgccttctct 720
gaggacttct tcaaggaaag tatttcagct cccaagttta gtccaggaag ctctgatgat 780
gtcagatacg taaatgcttt caagttcatg agcctggaaa gaatcaaac ctttgaagaa 840
cctttgccaa atgccacctc catgtttgat gactaccagg gggacagcag cgctctgctg 900
gcctctccca tgcgtaagcg cttcaccagg actgacagca aaccaaggc ctcgctcaag 960
attgacttga gactaactag caaaagtaag aagtcggggc tttctgatgt cagcaggccc 1020
agtttctgcc attccaacag tgggcacatc agcaaaggca agggcagggt cacctacgac 1080
aacgccgagc tggaaaaggaa gacggcgtgc tgctccccgc ccctctggga gttgtag 1137

```

<210> 7

<211> 5830

<212> DNA

<213> Homo sapiens

<400> 7

```

actgaggtccc gggaccccg gagagcggtc agtgtgtggt cgctgcgttt cctctgcctg 60
cgccgggcat cacttgcgcg ccgcagaaag tccgtctggc agcctggata tccctctcta 120
ccggcaccgg cagacgcccc tgcagccgcc ggtcgccgcc cgggctccct agccctgtgc 180
gtcaactgt cctgcgctgc ggggtgccgc gagttccacc tccgcgcctc cttctctaga 240
caggcgctgg gagaaagaac cggctcccga gttctgggca tttcgcccg ctcgaggtgc 300
aggatgcaga gcaagggtgt gctggccgtc gccctgtggc tctgcgtgga gaccggggcc 360
gcctctgtgg gtttgcctag tgtttctctt gacttgccca ggctcagcat acaaaaaagac 420
atacttaca ttaaggctaa tacaactctt caaattactt gcaggggaca gagggacttg 480
gactggcttt ggcccaataa tcagagtggc agtgagcaaa ggggtggagg gactgagtgc 540
agcgatggcc tcttctgtaa gacactcaca attccaaaag tgatcggaag tgacactgga 600
gcctacaagt gcttctaccg ggaaactgac ttggcctcgg tcatattatg ctatgttcaa 660
gattacagat ctccatttat tgcttctgtt agtgaccaac atggagtcgt gtacattact 720
gagaacaaaa acaaaactgt ggtgattcca tgtctcgggt ccatttcaaa tctcaacgtg 780

```

tcactttt	caagataccc	agaaaagaga	tttgttcctg	atggtaacag	aatttcctgg	840
gacagcaaga	agggcctttac	tattcccagc	tacatgatca	gctatgctgg	catgggtcttc	900
tgtgaagcaa	aaattaatga	tgaaagttac	cagtctatta	tgtacatagt	tgtcgttgta	960
gggtatagga	tttatgatgt	ggttctgagt	ccgtctcatg	gaattgaact	atctgttgga	1020
gaaaagcttg	tcttaaattg	tacagcaaga	actgaactaa	atgtggggat	tgacttcaac	1080
tgggaatacc	cttcttcgaa	gcatacagcat	aagaaacttg	taaaccgaga	cctaaaaacc	1140
cagctctggga	gtgagatgaa	gaaatttttg	agcaccttaa	ctatagatgg	tgtaaccggg	1200
agtgaccaag	gattgtacac	ctgtgcagca	tccagtgggc	tgatgacca	gaagaacagc	1260
acatttgtca	gggtccatga	aaaacctttt	gttgcctttg	gaagtggcat	ggaatctctg	1320
gtggaagcca	cgggtgggga	gcgtgtcaga	atccctgcga	agtaccttgg	ttaccacccc	1380
ccagaaataa	aatggtataa	aaatggaata	ccccttgagt	ccaatcacac	aattaaagcg	1440
gggcatgtac	tgacgattat	ggaagtgagt	gaaagagaca	caggaaatta	cactgtcatc	1500
cttaccacat	ccatttcaaa	ggagaagcag	agccatgtgg	tctctctggg	tgtgtatgtc	1560
ccaccccaga	ttggtgagaa	atctctaata	tctctgttgg	attcctacca	gtacggcacc	1620
actcaaagcg	tgacatgtac	ggctctatgcc	attcctcccc	cgcatcacat	ccactgggat	1680
tggcagttgg	aggaagagt	cgccaacgag	cccagccaag	ctgtctcagt	gacaaaccca	1740
tacccttgtg	aagaatggag	aagtgtggag	gacttccagg	gaggaaataa	aattgaagtt	1800
aataaaaatc	aatttgcctc	aattgaagga	aaaaacaaaa	ctgtaagtac	ccttgttatt	1860
caagcggcaa	atgtgtcagc	tttgtacaaa	tgtgaagcgg	tcaacaaagt	cgggagagga	1920
gagagggtga	tctccttcca	cgtgaccagg	ggtcctgaaa	ttactttgca	acctgacatg	1980
cagccactg	agcaggagag	cgtgtctttg	tgggtgactg	cagacagatc	tacgtttgag	2040
aacctcacat	ggtacaagct	tggcccacag	cctctgcca	tccatgtggg	agagttgcc	2100
acacctgttt	gcaagaactt	ggatactctt	tggaaattga	atgccaccat	gttctcta	2160
agcacaaatg	acattttgat	catggagctt	aagaatgcat	ccttgcagga	ccaaggagac	2220
tatgtctgcc	ttgctcaaga	caggaagacc	aagaaaagac	attgctgggt	caggcagctc	2280
acagtcctag	agcgtgtggc	acccacgata	acaggaaacc	tggagaatca	gacgacaagt	2340
attggggaaa	gcatacgaag	ctcatgcacg	gcatactggg	atccccctcc	acagatcatg	2400
tgggtttaaag	ataatgagac	ccttgtagaa	gactcaggca	ttgtattgaa	ggatgggaac	2460
cggaacctca	ctatccgcag	agtgaaggag	gaggacgaag	gcctctacac	ctgccaggca	2520
tgcagtgttc	ttggctgtgc	aaaagtggag	gcatttttca	taatagaagg	tgcccaggaa	2580
aagacgaact	tgaaatcat	tattctagta	ggcacggcgg	tgattgccat	gttcttctgg	2640
ctacttcttg	ctatcatcct	acggaccgtt	aagcgggcca	atggagggga	actgaagaca	2700
ggctacttgt	ccatcgtcat	ggatccagat	gaactcccat	tggatgaaca	ttgtgaacga	2760
ctgccttatg	atgccagcaa	atgggaattc	cccagagacc	ggctgaagct	aggtaagcct	2820
cttggcctgtg	gtgccttttg	ccaagtgatt	gaagcagatg	cctttggaat	tgacaagaca	2880
gcaacttgca	ggacagtagc	agtcaaaatg	ttgaaagaag	gagcaacaca	cagttagcat	2940
cgagctctca	tgtctgaact	caagatcctc	attcatattg	gtcaccatct	caatgtggct	3000
aaccttctag	gtgcctgtac	caagccagga	gggccaactca	tgggtgattgt	ggaattctgc	3060
aaatttggaa	acctgtccac	ttacctgagg	agcaagagaa	atgaatttgt	cccctacaag	3120
accaaagggg	cacgattccg	tcaaggga	gactacgttg	gagcaatccc	tgtggatctg	3180
aaacggcgct	tggacagcat	caccagtagc	cagagctcag	ccagctctgg	atttgtggag	3240
gagaagtccc	tcagtgatgt	agaagaagag	gaagctcctg	aagatctgta	taaggacttc	3300
ctgaccttgg	agcatctcat	ctgttacagc	ttccaagtgg	ctaagggcac	ggagttcttg	3360
gcatacgcga	agtgtatcca	cagggaacctg	gcggcacgaa	atatacctct	atcggagaag	3420
aacgtgggta	aaatctgtga	ctttggcttg	gcccgggata	tttataaaga	tccagattat	3480
gtcagaaaaag	gagatgctcg	cctccctttg	aaatggatgg	cccagaaac	aatttttgac	3540
agagtgtaca	caatccagag	tgacgtctgg	tcttttgggtg	ttttgctgtg	ggaaatattt	3600
tccttaggtg	cttctccata	tcctggggta	aagattgatg	aagaattttg	taggcgattg	3660
aaagaaggaa	ctagaatgag	ggcccctgat	tatactacac	cagaaatgta	ccagaccatg	3720
ctggacttctg	ggcacgggga	gccagtcag	agaccacagt	tttcagagtt	gggtggaacat	3780
ttgggaaatc	tcttgcaagc	taatgctcag	caggatggca	aagactacat	tgttcttccg	3840
atatcagaga	ctttgagcat	ggaagaggat	tctggactct	ctctgcctac	ctcacctgtt	3900
tcctgtatgg	aggaggagga	agtatgtgac	cccaaattcc	attatgacaa	cacagcagga	3960
atcagtcagt	atctgcagaa	cagtaagcga	aagagccggc	ctgtgagtg	aaaaacattt	4020
gaagatatcc	cgttagaaga	accagaagta	aaagtaatcc	cagatgacaa	ccagacggac	4080
agtgggtatg	ttcttgccto	agaagagctg	aaaacttttg	aagacagaac	caaatttctc	4140
ccatcttttg	gtggaatgg	gcccagcaaa	agcagggagt	ctgtggcatc	tgaaggctca	4200
aaccagacaa	gcggctacca	gtccggatat	cactccgatg	acacagacac	caccgtgtac	4260
tcagtgagg	aagcagaact	tttaaagctg	atagagattg	gagtgcaaac	cggtagcaca	4320
gccagattc	tccagcctga	ctcggggacc	acactgagct	ctcctcctgt	ttaaaaggaa	4380
gcatccacac	cccaactccc	ggacatcaca	tgagaggtct	gctcagattt	tgaagtgttg	4440

```

ttctttccac cagcaggaag tagccgcatt tgattttcat ttcgacaaca gaaaaaggac 4500
ctcggactgc agggagccag tcttctaggc atatcctgga agaggcttgt gacccaagaa 4560
tgtgtctgtg tcttctccca gtgttgacct gatcctcttt ttccattcat ttaaaaagca 4620
ttatcatgcc cctgctgcgg gtctcaccat gggtttagaa caaagagctt caagcaatgg 4680
ccccatcttc aaagaagtag cagtacctgg ggagctgaca cttctgtaaa actagaagat 4740
aaaccaggca acgtaagtgt tcgaggtggt gaagatggga aggatttgca gggctgagtc 4800
tatccaagag gctttgttta ggacgtgggt cccaagccaa gccttaagtg tgggaattcgg 4860
attgatagaa aggaagacta acgttacctt gctttggaga gtactggagc ctgcāaatgc 4920
attgtgtttg ctctgggtgga ggtgggcatg gggctctgtt tgaaatgtaa agggttcaga 4980
cggggtttct ggtttttagaa ggttgcgtgt tcttcgagtt gggctaaagt agagttcgtt 5040
gtgctgtttc tgactcctaa tgagagttcc ttccagaccg ttagctgtct ccttgccaag 5100
ccccaggaag aaaatgatgc agctctggct ccttgtctcc caggctgac ctttattcag 5160
aataccacaa agaaaggaca ttcagctcaa ggctccctgc cgtgttgaag agttctgact 5220
gcacaaacca gcttctggtt tcttctggaa tgaataccct catatctgtc ctgatgtgat 5280
atgtctgaga ctgaatgcgg gaggttcaat gtgaagctgt gtgtggtgtc aaagtttcag 5340
gaaggatttt acccttttgt tcttccccct gtccccaacc cactctcacc ccgcaaccca 5400
tcagtatttt agttatttgg cctctactcc agtaaacctg attgggtttg ttcactctct 5460
gaatgattat tagccagact tcaaaattat tttatagccc aaattataac atctattgta 5520
ttatttagac tttaacata tagagctatt tctactgatt ttgccccttg ttctgtcctt 5580
tttttcaaaa aagaaaatgt gttttttgtt tgggtaccata gtgtgaaatg ctgggaacaa 5640
tgactataag acatgctatg gcacatata tttatagtctg tttatgtaga aacaaatgta 5700
atatattaaa gccttatata taatgaactt tgtactatc acattttgta tcagtattat 5760
gtagcataac aaaggtcata atgctttcag caattgatgt cattttatta aagaacattg 5820
aaaaacttga                                     5830

```

<210> 8

<211> 19

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 8

tcatcacgaa gtggtgaag

19

<210> 9

<211> 21

<212> RNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 9

ucaucacgaa guggugaagu u

21

<210> 10

<211> 21

<212> RNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 10

cuucaccacu ucgugaugau u

21

<210> 11

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<221> misc_RNA

<222> (1)...(19)

<223> ribonucleotide

<221> misc_feature

<222> (20)...(21)

<223> deoxyribonucleotide

<400> 11

ucaucacgaa guggugaagt t

21

<210> 12

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<221> misc_RNA

<222> (1)...(19)

<223> ribonucleotides

<221> misc_feature

<222> (20)...(21)

<223> deoxyribonucleotides

<400> 12

cuucaccacu ucgugaugat t

21

<210> 13

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 13

aacgtacttg cagatgtgac a

21

<210> 14

<211> 19

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 14

gttcatggat gtctatcag

19

<210> 15

<211> 19

<212> DNA

<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 15
tcgagaccct ggtggacat 19

<210> 16
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 16
tgacgagggc ctggagtgt 19

<210> 17
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 17
tgacgagggc ctggagtgt 19

<210> 18
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 18
catcaccatg cagattatg 19

<210> 19
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 19
acctcaccaa ggccagcac 19

<210> 20
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 20
ggccagcaca taggagaga 19

<210> 21
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 21
caaattgtgaa tgcagacca 19

<210> 22
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 22
atgtgaatgc agaccaaag 19

<210> 23
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 23
tgcagaccaa agaaagata 19

<210> 24
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 24
agaaagatag agcaagaca 19

<210> 25
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 25
gaaagataga gcaagacaa 19

<210> 26
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 26
gataagagcaa gacaagaaa 19

<210> 27
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 27
gacaagaaaa tccctgtgg 19

<210> 28
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 28
gaaaatccct gtgggcctt 19

<210> 29
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 29
aatccctgtg ggccttgct 19

<210> 30
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 30
tccctgtggg ccttgctca 19

<210> 31
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 31
gcatttgttt gtacaagat 19

<210> 32
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 32
gatccgcaga cgtgtaaatt 19

<210> 33
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 33
atgttcctgc aaaaacaca 19

<210> 34
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 34
tggttcctgca aaaacacag 19

<210> 35
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 35
aaacacagac tcgcgttgca 19

<210> 36
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 36
aacacagact cgcgttgca 19

<210> 37
<211> 19
<212> DNA
<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 37

acacagactc gcgttgcaa

19

<210> 38

<211> 19

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 38

cacagactcg cggttgcaag

19

<210> 39

<211> 19

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 39

ggcgaggcag cttgagtta

19

<210> 40

<211> 19

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 40

acgaacgtac ttgcagatg

19

<210> 41

<211> 19

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 41

cgaacgtact tgcagatgt

19

<210> 42

<211> 19

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 42

cgtacttgca gatgtgaca

19

<210> 43

<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 43
gtggtcccag gctgcaccc 19

<210> 44
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 44
ggaggagggc agaatcatc 19

<210> 45
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 45
gtggtgaagt tcatggatg 19

<210> 46
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 46
aatcatcacg aagtggtgaa g 21

<210> 47
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 47
aagttcatgg atgtctatca g 21

<210> 48
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 48
aatcgagacc ctggtggaca t 21

<210> 49
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 49
aatgacgagg gcctggagtg t 21

<210> 50
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 50
aacatcacca tgcagattat g 21

<210> 51
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 51
aaacctcacc aaggccagca c 21

<210> 52
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 52
aaggccagca cataggagag a 21

<210> 53
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 53
aacaatgtg aatgcagacc a 21

<210> 54
<211> 21

<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 54
aaatgtgaat gcagaccaa g 21

<210> 55
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 55
aatgcagacc aaagaaagat a 21

<210> 56
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 56
aaagaaagat agagcaagac a 21

<210> 57
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 57
aagaaagata gagcaagaca a 21

<210> 58
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 58
aagatagagc aagacaagaa aat 23

<210> 59
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 59
aagacaagaa aatccctgtg ggc 23

<210> 60
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 60
aagaaaatcc ctgtgggcct tgc 23

<210> 61
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 61
aatccctgtg ggccttgctc aga 23

<210> 62
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 62
aagcatttgt ttgtacaaga tcc 23

<210> 63
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 63
aagatccgca gacgtgtaaa tgt 23

<210> 64
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 64
aaatgttcct gcaaaaacac aga 23

<210> 65
<211> 23
<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 65

aatgttcctg caaaaacaca gac

23

<210> 66

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 66

aaaaacacag actcgcgttg caa

23

<210> 67

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 67

aaaacacaga ctgcggttgc aag

23

<210> 68

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 68

aaacacagac tcgcggttgca agg

23

<210> 69

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 69

aacacagact cgcggttgcaa ggc

23

<210> 70

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 70

aaggcgaggc agcttgagtt aaa 23

<210> 71
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 71
aaacgaacgt acttgacgat gtg 23

<210> 72
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 72
aacgaacgta cttgcagatg tga 23

<210> 73
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 73
aagtgggtccc aggctgcacc cat 23

<210> 74
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 74
aaggaggagg gcagaatcat cac 23

<210> 75
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 75
aagtggtgaa gttcatggat gtc 23

<210> 76
<211> 23
<212> DNA
<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 76

aaaatccctg tgggccttgc tca

23

<210> 77

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<221> misc_RNA

<222> (1)...(19)

<223> ribonucleotides

<221> misc_feature

<222> (20)...(21)

<223> deoxyribonucleotides

<400> 77

accucaccaa ggccagcact t

21

<210> 78

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<221> misc_RNA

<222> (1)...(19)

<223> ribonucleotides

<221> misc_feature

<222> (20)...(21)

<223> deoxyribonucleotides

<400> 78

gugcuggccu uggugaggut t

21

<210> 79

<211> 18

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 79

ggctacgtcc agcgacc

18

<210> 80

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 80

aaaccucacc aaagccagca c

21

<210> 81

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 81

ggcagaatca tcacgaagtg g

21

<210> 82

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 82

cctggtggac atcttccagg a

21

<210> 83

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 83

gagatcgagt acatcttcaa g

21

<210> 84

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 84

tggagtgtgt gccactgag g

21

<210> 85

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 85

gagcttccta cagcacaaca a

21

<210> 86
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 86
ttgctcagag cggagaaagc a 21

<210> 87
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 87
cacacactcg cggtgcaagg c 21

<210> 88
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 88
tcaccatgca gattatgcgg a 21

<210> 89
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 89
tagagcaaga caagaaaatc c 21

<210> 90
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 90
ccgcagacgt gtaaattgttc c 21

<210> 91
<211> 21
<212> DNA
<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 91

aagcaggcca gacactgcat c

21

<210> 92

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 92

aatgcagggg ggaagcagcc c

21

<210> 93

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 93

aagcagccca taaatggtct t

21

<210> 94

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 94

aaatggtctt tgcctgaaat g

21

<210> 95

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 95

aatggtcttt gcctgaaatg g

21

<210> 96

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 96

aaatggtgag taaggaaagc g

21

<210> 97

<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 97
aatggtgagt aaggaaagcg a

21

<210> 98
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 98
aaggaaagcg aaaggctgag c

21

<210> 99
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 99
aaagcgaaag gctgagcata a

21

<210> 100
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 100
aagcgaaagg ctgagcataa c

21

<210> 101
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 101
aaaggctgag cataactaaa t

21

<210> 102
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 102
aaggctgagc ataactaaat c 21

<210> 103
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 103
aactaaatct gcctgtggaa g 21

<210> 104
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 104
aaatctgcct gtggaagaaa t 21

<210> 105
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 105
aatctgcctg tggaagaaat g 21

<210> 106
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 106
aagaaatggc aaacaattct g 21

<210> 107
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 107
aaatggcaaa caattctgca g 21

<210> 108
<211> 21

<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 108
aatggcaaac aattctgcag t 21

<210> 109
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 109
aaacaattct gcagtacttt a 21

<210> 110
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 110
aacaattctg cagtacttta a 21

<210> 111
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 111
aattctgcag tactttaacc t 21

<210> 112
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 112
aaccttgaac acagctcaag c 21

<210> 113
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 113
aacacagctc aagcaaacca c 21

<210> 114
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 114
aagcaaacca cactggcttc t 21

<210> 115
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 115
aaaccacact ggcttctaca g 21

<210> 116
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 116
aaccacactg gcttctacag c 21

<210> 117
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 117
aaatatctag ctgtacctac t 21

<210> 118
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 118
aatatctagc tgtacctact t 21

<210> 119
<211> 21
<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 119

aaagaagaag gaaacagaat c

21

<210> 120

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 120

aagaagaagg aaacagaatc t

21

<210> 121

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 121

aagaaggaaa cagaatctgc a

21

<210> 122

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 122

aaggaaacag aatctgcaat c

21

<210> 123

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 123

aaacagaatc tgcaatctat a

21

<210> 124

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 124

aacagaatct gcaatctata t 21

<210> 125
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 125
aatctgcaat ctatatattt a 21

<210> 126
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 126
aatctatata tttattagtg a 21

<210> 127
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 127
aaatccccga aattatacac a 21

<210> 128
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 128
aatccccgaa attatacaca t 21

<210> 129
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 129
aaattataca catgactgaa g 21

<210> 130
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 130
aattatacac atgactgaag g 21

<210> 131
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 131
aaggaagggga gctcgtcatt c 21

<210> 132
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 132
aaggagctc gtcattccct g 21

<210> 133
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 133
aacatcactg ttactttaaa a 21

<210> 134
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 134
aaaaaagttt ccacttgaca c 21

<210> 135
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 135
aaaaagtttc cacttgacac t 21

<210> 136
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 136
aaaagtttcc acttgacact t 21

<210> 137
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 137
aaagtttcca cttgacactt t 21

<210> 138
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 138
aagtttccac ttgacacttt g 21

<210> 139
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 139
aaaacgcata atctgggaca g 21

<210> 140
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 140
aaacgcataa tctgggacag t 21

<210> 141
<211> 21
<212> DNA
<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 141

aacgcataat ctgggacagt a

21

<210> 142

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 142

aatctgggac agtagaaagg g

21

<210> 143

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 143

aaagggttc atcatatcaa a

21

<210> 144

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 144

aagggttca tcatatcaaa t

21

<210> 145

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 145

aaatgcaacg tacaagaaa t

21

<210> 146

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 146

aatgcaacgt acaaagaaat a

21

<210> 147
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 147
aacgtacaaa gaaatagggc t 21

<210> 148
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 148
aaagaaatag ggcttctgac c 21

<210> 149
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 149
aagaaatagg gcttctgacc t 21

<210> 150
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 150
aaatagggct tctgacctgt g 21

<210> 151
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 151
aatagggctt ctgacctgtg a 21

<210> 152
<211> 21
<212> DNA
<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 152

aagcaacagt caatgggcat t

21

<210> 153

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 153

aacagtcaat gggcatttgt a

21

<210> 154

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 154

aatgggcatt tgtataagac a

21

<210> 155

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 155

aagacaaact atctcacaca t

21

<210> 156

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 156

aaactatctc acacatcgac a

21

<210> 157

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 157

aactatctca cacatcgaca a

21

<210> 158

<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 158
aaaccaatac aatcatagat g 21

<210> 159
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 159
aaccaataca atcatagatg t 21

<210> 160
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 160
aatacaatca tagatgtcca a 21

<210> 161
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 161
aatcatagat gtccaaataa g 21

<210> 162
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 162
aaataagcac accacgccca g 21

<210> 163
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 163
aataagcaca ccacgcccag t 21

<210> 164
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 164
aagcacacca cgcccagtca a 21

<210> 165
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 165
aaattactta gaggccatac t 21

<210> 166
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 166
aattacttag aggccatact c 21

<210> 167
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 167
aattgtactg ctaccactcc c 21

<210> 168
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 168
aacacgagag ttcaaatgac c 21

<210> 169
<211> 21

<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 169
aaatgacctg gagttaccct g 21

<210> 170
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 170
aatgacctgg agttaccctg a 21

<210> 171
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 171
aaaaaaataa gagagcttcc g 21

<210> 172
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 172
aaaaaataag agagcttcog t 21

<210> 173
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 173
aaaataaga gagcttcogt a , 21

<210> 174
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 174
aaaataagag agcttccgta a 21

<210> 175
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 175
aaataagaga gcttccgtaa g 21

<210> 176
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 176
aataagagag cttccgtaag g 21

<210> 177
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 177
aagagagctt ccgtaaggcg a 21

<210> 178
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 178
aaggcgacga attgaccaa g 21

<210> 179
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 179
aattgaccaa agcaattccc a 21

<210> 180
<211> 21
<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 180

aaagcaattc ccatgccaac a

21

<210> 181

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 181

aagcaattcc catgccaaca t

21

<210> 182

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 182

aattcccatg ccaacatatt c

21

<210> 183

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 183

aacatattct acagtgttct t

21

<210> 184

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 184

aaaatgcaga acaaagacaa a

21

<210> 185

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 185

aatgcagaac aaagacaaag g 21

<210> 186
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 186
aacaagaca aaggacttta t 21

<210> 187
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 187
aaagacaaag gactttatac t 21

<210> 188
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 188
aagacaaagg actttatact t 21

<210> 189
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 189
aaaggacttt atacttgctg t 21

<210> 190
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 190
aaggacttta tacttgctgt g 21

<210> 191
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 191
aaggagtgga ccatcattca a 21

<210> 192
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 192
aaatctgtta acacctcagt g 21

<210> 193
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 193
aatctgttaa cacctcagt c 21

<210> 194
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 194
aacacctcag tgcatatata t 21

<210> 195
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 195
aaagcattca tcactgtgaa a 21

<210> 196
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 196
aagcattcat cactgtgaaa c 21

<210> 197
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 197
aaacatcgaa aacagcaggt g 21

<210> 198
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 198
aacatcgaaa acagcaggtg c 21

<210> 199
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 199
aaaacagcag gtgcttgaaa c 21

<210> 200
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 200
aaacagcagg tgcttgaaac c 21

<210> 201
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 201
aacagcaggt gcttgaaacc g 21

<210> 202
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 202
aaaccgtagc tggcaagcgg t 21

<210> 203
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 203
aaccgtagct ggcaagcgg t c 21

<210> 204
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 204
aaccgtagct ggcaagcgg t c 21

<210> 205
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 205
aaagtgaagg catttcctc g 21

<210> 206
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 206
aagtgaaggc atttcctcg c 21

<210> 207
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 207
aaggcatttc cctcgccgga a 21

<210> 208
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 208
aagttgtatg gttaaaagat g 21

<210> 209
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 209
aaaagatggg ttacctgcga c 21

<210> 210
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 210
aaagatgggt tacctgcgac t 21

<210> 211
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 211
aagatgggtt acctgcgact g 21

<210> 212
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 212
aaatctgctc gctatttgac t 21

<210> 213
<211> 21
<212> DNA
<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 213

aatctgctcg ctatttgact c

21

<210> 214

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 214

aattatcaag gacgtaactg a

21

<210> 215

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 215

aaggacgtaa ctgaagagga t

21

<210> 216

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 216

aactgaagag gatgcaggga a

21

<210> 217

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 217

aagaggatgc agggaattat a

21

<210> 218

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 218

aattatacaa tcttgctgag c

21

<210> 219

<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 219
aatcttgctg agcataaaac a 21

<210> 220
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 220
aaaacagtca aatgtgttta a 21

<210> 221
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 221
aaacagtcaa atgtgtttaa a 21

<210> 222
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 222
aacagtcaaa tgtgtttaaa a 21

<210> 223
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 223
aaatgtgttt aaaaacctca c 21

<210> 224
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 224
aatgtgttta aaaacctcac t 21

<210> 225
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 225
aaaaacctca ctgccactct a 21

<210> 226
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 226
aaaacctcac tgccactcta a 21

<210> 227
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 227
aaacctcact gccactctaa t 21

<210> 228
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 228
aacctcactg ccactctaata t 21

<210> 229
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 229
aattgtcaat gtgaaacccc a 21

<210> 230
<211> 21

<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 230
aatgtgaaac cccagattta c 21

<210> 231
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 231
aaaccccgaga ttacgaaaa g 21

<210> 232
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 232
aaccccgat ttacgaaaag g 21

<210> 233
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 233
aaaaggccgt gtcacgttt c 21

<210> 234
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 234
aaaggccgtg tcacgtttc c 21

<210> 235
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 235
aaggccgtgt catcgtttcc a 21

<210> 236
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 236
aaatcctgac ttgtaccgca t 21

<210> 237
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 237
aatcctgact tgtaccgcat a 21

<210> 238
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 238
aacctacaat caagtggttc t 21

<210> 239
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 239
aatcaagtgg ttctggcacc c 21

<210> 240
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 240
aagtggttct ggcaccctg t 21

<210> 241
<211> 21
<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 241

aaccataatc attccgaagc a

21

<210> 242

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 242

aatcattccg aagcaaggtg t

21

<210> 243

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 243

aagcaaggtg tgacttttgt t

21

<210> 244

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 244

aaggtgtgac ttttgttcca a

21

<210> 245

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 245

aataatgaag agtcctttat c

21

<210> 246

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 246

aatgaagagt cctttatcct g 21

<210> 247
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 247
aagagtcctt tatcctggat g 21

<210> 248
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 248
aacatgggaa acagaattga g 21

<210> 249
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 249
aaacagaatt gagagcatca c 21

<210> 250
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 250
aacagaattg agagcatcac t 21

<210> 251
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 251
aattgagagc atcactcagc g 21

<210> 252
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 252
aataatagaa ggaaagaata a 21

<210> 253
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 253
aatagaagga aagaataaga t 21

<210> 254
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 254
aaggaaagaa taagatggct a 21

<210> 255
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 255
aaagaataag atggctagca c 21

<210> 256
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 256
aagaataaga tggctagcac c 21

<210> 257
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 257
aataagatgg ctagcacctt g 21

<210> 258
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 258
aagatggcta gcaccttggt t 21

<210> 259
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 259
aatttctgga atctacattt g 21

<210> 260
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 260
aatctacatt tgcatagctt c 21

<210> 261
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 261
aataaagttg ggactgtggg a 21

<210> 262
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 262
aaagttggga ctgtgggaag a 21

<210> 263
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 263
aagttgggac tgtgggaaga a 21

<210> 264
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 264
aagaaacata agcttttata t 21

<210> 265
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 265
aaacataagc ttttatatca c 21

<210> 266
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 266
aacataagct tttatatcac a 21

<210> 267
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 267
aagcttttat atcacagatg t 21

<210> 268
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 268
aaatgggttt catgttaact t 21

<210> 269
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 269
aatgggtttc atgttaactt g 21

<210> 270
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 270
aacttgga aaatgccgac g 21

<210> 271
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 271
aaaaaatgcc gacggaagga g 21

<210> 272
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 272
aaaaatgccg acggaaggag a 21

<210> 273
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 273
aaaatgccga cggaaggaga g 21

<210> 274
<211> 21
<212> DNA
<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 274

aaatgccgac ggaaggagag g

21

<210> 275

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 275

aatgccgacg gaaggagagg a

21

<210> 276

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 276

aaggagagga cctgaaactg t

21

<210> 277

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 277

aaactgtctt gcacagttaa c

21

<210> 278

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 278

aactgtcttg cacagttaac a

21

<210> 279

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 279

aacaagttct tatacagaga c

21

<210> 280

<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 280
aagttcttat acagagacgt t 21

<210> 281
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 281
aataacagaa caatgcacta c 21

<210> 282
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 282
aacagaacaa tgactacag t 21

<210> 283
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 283
aacaatgcac tacagtatta g 21

<210> 284
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 284
aatgcactac agtattagca a 21

<210> 285
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 285
aagcaaaaaa tggccatcac t 21

<210> 286
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 286
aaaaaatggc catcactaag g 21

<210> 287
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 287
aaaaatggcc atcactaagg a 21

<210> 288
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 288
aaaatggcca tcactaagga g 21

<210> 289
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 289
aatggccat cactaaggag c 21

<210> 290
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 290
aatggccatc actaaggagc a 21

<210> 291
<211> 21

<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 291
aaggagcact ccatcactct t 21

<210> 292
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 292
aatcttacca tcatgaatgt t 21

<210> 293
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 293
aatgtttccc tgcaagattc a 21

<210> 294
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 294
aagattcagg cacctatgcc t 21

<210> 295
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 295
aatgtataca cagggaaga a 21

<210> 296
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 296
aagaaatcct ccagaagaaa g 21

<210> 297
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 297
aaatcctcca gaagaaagaa a 21

<210> 298
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 298
aatcctccag aagaaagaaa t 21

<210> 299
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 299
aagaaagaaa ttacaatcag a 21

<210> 300
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 300
aaagaaatta caatcagaga t 21

<210> 301
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 301
aagaaattac aatcagagat c 21

<210> 302
<211> 21
<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 302

aaattacaat cagagatcag g

21

<210> 303

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 303

aattacaatc agagatcagg a

21

<210> 304

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 304

aatcagagat caggaagcac c

21

<210> 305

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 305

aagcaccata cctcctgcga a

21

<210> 306

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 306

aaacctcagt gatcacacag t

21

<210> 307

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 307

aacctcagtg atcacacagt 20

<210> 308
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 308
aatggtgtcc ccgagcctca g 21

<210> 309
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 309
aaaaacaacc acaaaataca a 21

<210> 310
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 310
aaaacaacca caaaatacaa c 21

<210> 311
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 311
aaacaaccac aaaatacaac a 21

<210> 312
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 312
aacaaccaca aaatacaaca a 21

<210> 313
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 313
aaccacaaaa tacaacaaga g 21

<210> 314
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 314
aaaatacaac aagagcctgg a 21

<210> 315
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 315
aaatacaaca agagcctgga a 21

<210> 316
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 316
aatacaacaa gagcctggaa t 21

<210> 317
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 317
aacaagagcc tggaattatt t 21

<210> 318
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 318
aagagcctgg aattatttta g 21

<210> 319
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 319
aattatttta ggaccaggaa g 21

<210> 320
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 320
aagcagcacg ctgtttattg a 21

<210> 321
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 321
aaagagtcac agaagaggat g 21

<210> 322
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 322
aagagtcaca gaagaggatg a 21

<210> 323
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 323
aagaggatga aggtgtctat c 21

<210> 324
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 324
aaggtgtcta tcaactgcaaa g 21

<210> 325
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 325
aaagccacca accagaaggg c 21

<210> 326
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 326
aagccaccaa ccagaagggc t 21

<210> 327
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 327
aaccagaagg gctctgtgga a 21

<210> 328
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 328
aagggctctg tggaaagttc a 21

<210> 329
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 329
aaagttcagc atacctcact g 21

<210> 330
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 330
aagttcagca tacctcactg t 21

<210> 331
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 331
aaggaacctc ggacaagtct a 21

<210> 332
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 332
aacctcggac aagtctaatt c 21

<210> 333
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 333
aagtctaattc tggagctgat c 21

<210> 334
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 334
aatctggagc tgatcactct a 21

<210> 335
<211> 21
<212> DNA
<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 335

aacatgcacc tgtgtggctg c

21

<210> 336

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 336

aaccctcttt atccgaaaaa t

21

<210> 337

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 337

aaaaatgaaa aggtcttctt c

21

<210> 338

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 338

aaaatgaaaa ggtcttcttc t

21

<210> 339

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 339

aaatgaaaag gtcttcttct g

21

<210> 340

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 340

aatgaaaagg tcttcttctg a

21

<210> 341

<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 341
aaaaggtcctt cttctgaaat a 21

<210> 342
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 342
aaaggtcttc ttctgaaata a 21

<210> 343
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 343
aaggtcttct tctgaaataa a 21

<210> 344
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 344
aaataaagac tgactaccta t 21

<210> 345
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 345
aataaagact gactacctat c 21

<210> 346
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 346
aaagactgac tacctatcaa t 21

<210> 347
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 347
aagactgact acctatcaat t 21

<210> 348
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 348
aattataatg gaccagatg a 21

<210> 349
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 349
aatggaccca gatgaagttc c 21

<210> 350
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 350
aagttccttt ggatgagcag t 21

<210> 351
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 351
aagtgggagt ttgcccgga g 21

<210> 352
<211> 21

<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 352
aaactgggca aatcacttgg a 21

<210> 353
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 353
aactgggcaa atcacttgg a 21

<210> 354
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 354
aaatcacttg gaagaggggc t 21

<210> 355
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 355
aatcacttgg aagaggggct t 21

<210> 356
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 356
aagaggggct tttggaaaag t 21

<210> 357
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 357
aaaagtgggtt caagcatcag c 21

<210> 358
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 358
aaagtgggttc aagcatcagc a 21

<210> 359
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 359
aagtgggttca agcatcagca t 21

<210> 360
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 360
aagcatcagc atttggcatt a 21

<210> 361
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 361
aagaaatcac ctacgtgccg g 21

<210> 362
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 362
aatcaccta cgtgccggac t 21

<210> 363
<211> 21
<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 363

aatcacctac gtgccggact g

21

<210> 364

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 364

aaaatgctga aagagggggc c

21

<210> 365

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 365

aaatgctgaa agagggggcc a

21

<210> 366

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 366

aatgctgaaa gagggggcca c

21

<210> 367

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 367

aaagaggggg ccacggccag c

21

<210> 368

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 368

aagagggggc cacggccagc g 21

<210> 369
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 369
aaagctctga tgactgagct a 21

<210> 370
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 370
aagctctgat gactgagcta a 21

<210> 371
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 371
aaaaatcttg acccacattg g 21

<210> 372
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 372
aaaatcttga cccacattgg c 21

<210> 373
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 373
aaatcttgac ccacattggc c 21

<210> 374
<211> 21
<212> DNA
<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 374

aatcttgacc cacattggcc a

21

<210> 375

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 375

aacgtgggta acctgctggg a

21

<210> 376

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 376

aacctgctgg gagcctgcac c

21

<210> 377

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 377

aagcaaggag ggcctctgat g

21

<210> 378

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 378

aaggagggcc tctgatggtg a

21

<210> 379

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 379

aatactgcaa atatggaaat c

21

<210> 380
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 380
aaatatggaa atctctccaa c 21

<210> 381
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 381
aatatggaaa tctctccaac t 21

<210> 382
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 382
aaatctctcc aactacctca a 21

<210> 383
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 383
aatctctcca actacctcaa g 21

<210> 384
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 384
aactacctca agagcaaacg t 21

<210> 385
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 385
aagagcaaac gtgacttatt t 21

<210> 386
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 386
aaacgtgact tatTTTTtct c 21

<210> 387
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 387
aacgtgactt atTTTTtctc a 21

<210> 388
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 388
aacaaggatg cagcactaca c 21

<210> 389
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 389
aaggatgcag cactacacat g 21

<210> 390
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 390
aagaaagaaa aaatggagcc a 21

<210> 391
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 391
aaagaaaaaa tggagccagg c 21

<210> 392
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 392
aagaaaaaat ggagccaggc c 21

<210> 393
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 393
aaaaaatgga gccaggcctg g 21

<210> 394
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 394
aaaaatggag ccaggcctgg a 21

<210> 395
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 395
aaaatggagc caggcctgga a 21

<210> 396
<211> 21
<212> DNA
<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 396

aaatggagcc aggcctggaa c

21

<210> 397

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 397

aatggagcca ggcctggaac a

21

<210> 398

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 398

aacaaggcaa gaaaccaaga c

21

<210> 399

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 399

aaggcaagaa accaagacta g

21

<210> 400

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 400

aagaaaccaa gactagatag c

21

<210> 401

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 401

aaaccaagac tagatagcgt c

21

<210> 402

<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 402
aaccaagact agatagcgtc a 21

<210> 403
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 403
aagactagat agcgtcacca g 21

<210> 404
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 404
aaagctttgc gagctccggc t 21

<210> 405
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 405
aagctttgcg agctccggct 20

<210> 406
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 406
aagataaaaag tctgagtgat g 21

<210> 407
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 407
aaaagtctga gtgatgttga g 21

<210> 408
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 408
aaagtctgag tgatgttgag g 21

<210> 409
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 409
aagtctgagt gatgttgagg a 21

<210> 410
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 410
aagaggagga ttctgacgg t 21

<210> 411
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 411
aaggagccca tcactatgga a 21

<210> 412
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 412
aagatctgat ttcttacagt t 21

<210> 413
<211> 21

<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 413
aagtggccag aggcatggag t 21

<210> 414
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 414
aaagtgcatt catcgggacc t 21

<210> 415
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 415
aagtgcattc atcgggacct g 21

<210> 416
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 416
aaacattctt ttatctgaga a 21

<210> 417
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 417
aacattcttt tatctgagaa c 21

<210> 418
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 418
aacaacgtgg tgaagatttg t 21

<210> 419
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 419
aacgtggtga agatttgtga t 21

<210> 420
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 420
aagatttgtg attttgcct t 21

<210> 421
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 421
aagaaccccg attatgtgag a 21

<210> 422
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 422
aaccccgatt atgtgagaaa a 21

<210> 423
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 423
aaaaggagat actcgacttc c 21

<210> 424
<211> 21
<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 424

aaaggagata ctcgacttcc t

21

<210> 425

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 425

aaggagatac tcgacttcct c

21

<210> 426

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 426

aatggatgg ctcctgaatc t

21

<210> 427

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 427

aatggatggc tcctgaatct a

21

<210> 428

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 428

aatctatctt tgacaaaatc t

21

<210> 429

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 429

aaaatctaca gcaccaagag c 21

<210> 430
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 430
aaatctacag caccaagagc g 21

<210> 431
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 431
aatctacagc accaagagcg a 21

<210> 432
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 432
aagagcgacg tgtggtctta c 21

<210> 433
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 433
aaatcttctc cttaggtggg t 21

<210> 434
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 434
aatcttctcc ttaggtgggt c 21

<210> 435
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 435
aaatggatga ggacttttgc a 21

<210> 436
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 436
aatggatgag gacttttgca g 21

<210> 437
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 437
aaggcatgag gatgagagct c 21

<210> 438
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 438
aaatctatca gatcatgctg g 21

<210> 439
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 439
aatctatcag atcatgctgg a 21

<210> 440
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 440
aaaagaaagg ccaagatttg c 21

<210> 441
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 441
aaagaaaggc caagatttgc a 21

<210> 442
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 442
aagaaaggcc aagatttgca g 21

<210> 443
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 443
aaaggccaag atttgcagaa c 21

<210> 444
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 444
aaggccaaga tttgcagaac t 21

<210> 445
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 445
aagatttgca gaacttgtgg a 21

<210> 446
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 446
aacttggtga aaaactaggt g 21

<210> 447
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 447
aaaaactagg tgatttgctt c 21

<210> 448
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 448
aaaactaggt gatttgcttc a 21

<210> 449
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 449
aaactaggtg atttgcttca a 21

<210> 450
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 450
aactaggtga ttgcttcaa g 21

<210> 451
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 451
aagcaaagt acaacaggat g 21

<210> 452
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 452
aaatgtacaa caggatggta a 21

<210> 453
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 453
aatgtacaac aggatggtaa a 21

<210> 454
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 454
aacaggatgg taaagactac a 21

<210> 455
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 455
aaagactaca tcccaatcaa t 21

<210> 456
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 456
aagactacat cccaatcaat g 21

<210> 457
<211> 21
<212> DNA
<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 457

aatcaatgcc atactgacag g

21

<210> 458

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 458

aatgccatac tgacaggaaa t

21

<210> 459

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 459

aaatagtggg ttacatact c

21

<210> 460

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 460

aatagtgggt ttacatactc a

21

<210> 461

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 461

aactcctgcc ttctctgagg a

21

<210> 462

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 462

aaggaaagta tttcagctcc g

21

<210> 463

<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 463
aaagtatttc agctccgaag t 21

<210> 464
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 464
aagtatttca gctccgaagt t 21

<210> 465
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 465
aagtttaatt caggaagctc t 21

<210> 466
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 466
aattcaggaa gctctgatga t 21

<210> 467
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 467
aagctctgat gatgtcagat a 21

<210> 468
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 468
aaatgctttc aagttcatga g 21

<210> 469
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 469
aatgctttca agttcatgag c 21

<210> 470
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 470
aagttcatga gcctggaaag a 21

<210> 471
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 471
aaagaatcaa aacctttgaa g 21

<210> 472
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 472
aagaatcaaa acctttgaag a 21

<210> 473
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 473
aatcaaaacc tttgaagaac t 21

<210> 474
<211> 21

<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 474
aaaacctttg aagaactttt a 21

<210> 475
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 475
aaacctttga agaactttta c 21

<210> 476
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 476
aacctttgaa gaacttttac c 21

<210> 477
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 477
aagaactttt accgaatgcc a 21

<210> 478
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 478
aacttttacc gaatgccacc t 21

<210> 479
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 479
aatgccacct ccatgtttga t 21

<210> 480
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 480
aaaccaagg cctcgctcaa g 21

<210> 481
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 481
aaaccaagg cctcgctcaa g 21

<210> 482
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 482
aaccaaggc ctcgctcaag a 21

<210> 483
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 483
aaggcctcgc tcaagattga c 21

<210> 484
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 484
aagattgact tgagagtaac c 21

<210> 485
<211> 21
<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 485

aaccagtaaa agtaaggagt c

21

<210> 486

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 486

aaaagtaagg agtcggggct g

21

<210> 487

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 487

aaagtaagga gtcggggctg t

21

<210> 488

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 488

aagtaaggag tcggggctgt c

21

<210> 489

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 489

aaggagtcgg ggctgtctga t

21

<210> 490

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 490

aaggcaagcg caggttcacc t 21

<210> 491
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 491
gcacccagca catcatgcaa g 21

<210> 492
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 492
ggctgagcat aactaaatct g 21

<210> 493
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 493
gcttctacag ctgcaaatat c 21

<210> 494
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 494
gagctcgtca ttccctgccg g 21

<210> 495
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 495
ccaaagcaat tcccatgcc a 21

<210> 496
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 496
tgctgagcat aaaacagtca a 21

<210> 497
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 497
ttgcatagct tccaataaag t 21

<210> 498
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 498
agtgatcaca cagtggccat c 21

<210> 499
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 499
gatgaagttc ctttgatga g 21

<210> 500
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 500
tacacatgga gcctaagaaa g 21

<210> 501
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 501
gagctccggc tttcaggaag a 21

<210> 502
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 502
tctacagcac caagagcgac g 21

<210> 503
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 503
tctgatgatg tcagatatgt a 21

<210> 504
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 504
gcctcgtca agattgactt g 21

<210> 505
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 505
aaaaagacat acttacaatt a 21

<210> 506
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 506
aaaagacata cttacaatta a 21

<210> 507
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 507
aaagacatac ttacaattaa g 21

<210> 508
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 508
aagacatact tacaattaag g 21

<210> 509
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 509
aattaaggct aatacaactc t 21

<210> 510
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 510
aaggctaata caactcttca a 21

<210> 511
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 511
aatacaactc ttcaaattac t 21

<210> 512
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 512
aactcttcaa attacttgca g 21

<210> 513
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 513
aaattacttg caggggacag a 21

<210> 514
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 514
aattacttgc aggggacaga g 21

<210> 515
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 515
aataatcaga gtggcagtga g 21

<210> 516
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 516
aatcagagtg gcagtga gca a 21

<210> 517
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 517
aaagggtgga ggtgactgag t 21

<210> 518
<211> 21
<212> DNA
<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 518

aagggtggag gtgactgagt g

21

<210> 519

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 519

aagacactca caattccaaa a

21

<210> 520

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 520

aattccaaaa gtgatcggaa a

21

<210> 521

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 521

aaaagtgatc ggaaatgaca c

21

<210> 522

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 522

aaagtgatcg gaaatgacac t

21

<210> 523

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 523

aagtgatcgg aaatgacact g

21

<210> 524

<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 524
aaatgacact ggagcctaca a 21

<210> 525
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 525
aatgacactg gagcctacaa g 21

<210> 526
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 526
aagtgccttct accgggaaac t 21

<210> 527
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 527
aaactgactt ggcctcggtc a 21

<210> 528
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 528
aactgacttg gcctcgggtca t 21

<210> 529
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 529
aagattacag atctccattt a 21

<210> 530
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 530
aacatggagt cgtgtacatt a 21

<210> 531
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 531
aacaaaaaca aaactgtggt g 21

<210> 532
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 532
aaaaacaaaa ctgtggtgat t 21

<210> 533
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 533
aaaacaaaac tgtggtgatt c 21

<210> 534
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 534
aaacaaaact gtggtgattc c 21

<210> 535
<211> 21

<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 535
aacaaaactg tgggtattcc a 21

<210> 536
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 536
aaaactgtgg tgattccatg t 21

<210> 537
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 537
aaactgtggt gattccatgt c 21

<210> 538
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 538
aactgtggtg attccatgtc t 21

<210> 539
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 539
aaatctcaac gtgtcacttt g 21

<210> 540
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 540
aatctcaacg tgtcactttg t 21

<210> 541
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 541
aacgtgtcac tttgtgcaag a 21

<210> 542
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 542
aagataccca gaaaagagat t 21

<210> 543
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 543
aaaagagatt tggtcctgat g 21

<210> 544
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 544
aaagagattt gttcctgatg g 21

<210> 545
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 545
aagagatttg ttcctgatgg t 21

<210> 546
<211> 21
<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 546

aacagaattt cctgggacag c

21

<210> 547

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 547

aatttcctgg gacagcaaga a

21

<210> 548

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 548

aagaagggtt ttactattcc c

21

<210> 549

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 549

aagggttcta ctattcccag c

21

<210> 550

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 550

aagcaaaaat taatgatgaa a

21

<210> 551

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 551

aaaaattaat gatgaaagtt a 21

<210> 552
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 552
aaaattaatg atgaaagtta c 21

<210> 553
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 553
aaattaatga tgaaagttac c 21

<210> 554
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 554
aattaatgat gaaagttacc a 21

<210> 555
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 555
aatgatgaaa gttaccagtc t 21

<210> 556
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 556
aaagttacca gtctattatg t 21

<210> 557
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 557
aagttaccag tctattatgt a 21

<210> 558
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 558
aattgaacta tctgttgag a 21

<210> 559
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 559
aactatctgt tggagaaaag c 21

<210> 560
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 560
aaaagcttgt cttaaattgt a 21

<210> 561
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 561
aaagcttgtc ttaaattgta c 21

<210> 562
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 562
aagcttgtct taaattgtac a 21

<210> 563
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 563
aaattgtaca gcaagaactg a 21

<210> 564
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 564
aattgtacag caagaactga a 21

<210> 565
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 565
aagaactgaa ctaaattgtgg g 21

<210> 566
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 566
aactgaacta aatgtgggga t 21

<210> 567
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 567
aactaaatgt ggggattgac t 21

<210> 568
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 568
aaatgtgggg attgacttca a 21

<210> 569
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 569
aatgtgggga ttgacttcaa c 21

<210> 570
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 570
aactgggaat acccttcttc g 21

<210> 571
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 571
aatacccttc ttcgaagcat c 21

<210> 572
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 572
aagcatcagc ataagaaact t 21

<210> 573
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 573
aagaaacttg taaaccgaga c 21

<210> 574
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 574
aaacttgtaa accgagacct a 21

<210> 575
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 575
aacttgtaaa ccgagacct a 21

<210> 576
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 576
aaaccgagac ctaaaaaccc a 21

<210> 577
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 577
aaccgagacc taaaaaccca g 21

<210> 578
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 578
aaaaaccag tctgggagtg a 21

<210> 579
<211> 21
<212> DNA
<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 579

aaaaccagtc ctgggagtga g

21

<210> 580

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 580

aaaccagtc tgggagtga a

21

<210> 581

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 581

aaaccagtc tgggagtga t

21

<210> 582

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 582

aagaaatttt tgagcacctt a

21

<210> 583

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 583

aaatttttga gcaccttaac t

21

<210> 584

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 584

aaatttttga caccttaact a

21

<210> 585

<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 585
aactatagat ggtgtaaccc g

21

<210> 586
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 586
aaccggagt gaccaaggat t

21

<210> 587
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 587
aaggattgta cacctgtgca g

21

<210> 588
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 588
aagaagaaca gcacatttgt c

21

<210> 589
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 589
aagaacagca catttgtcag g

21

<210> 590
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 590
aacagcacat ttgtcagggt c 21

<210> 591
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 591
aaaaaccttt tgttgctttt g 21

<210> 592
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 592
aaaacctttt gttgcttttg g 21

<210> 593
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 593
aaaccttttg ttgcttttgg a 21

<210> 594
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 594
aaccttttgt tgcttttgga a 21

<210> 595
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 595
aagtggcatg gaatctctgg t 21

<210> 596
<211> 21

<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 596
aatctctggt ggaagccacg g 21

<210> 597
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 597
aagccacggt gggggagcgt g 21

<210> 598
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 598
aatccctgcg aagtaccttg g 21

<210> 599
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 599
aagtaccttg gttaccacc c 21

<210> 600
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 600
aaataaaatg gtataaaaat g 21

<210> 601
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 601
aataaaatgg tataaaatg g 21

<210> 602
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 602
aaaatggtat aaaaatggaa t 21

<210> 603
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 603
aatggtata aaaatggaat a 21

<210> 604
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 604
aatggtataa aaatggaata c 21

<210> 605
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 605
aaaatggaa tacccttga g 21

<210> 606
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 606
aaaatggaat accccttgag t 21

<210> 607
<211> 21
<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 607

aaatggaata ccccttgagt c

21

<210> 608

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 608

aatggaatac cccttgagtc c

21

<210> 609

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 609

aatacccctt gagtccaatc a

21

<210> 610

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 610

aatcacacaa ttaaagcggg g

21

<210> 611

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 611

aattaaagcg gggcatgtac t

21

<210> 612

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 612

aaagcggggc atgtactgac g 21

<210> 613
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 613
aagcggggca tgtactgacg a 21

<210> 614
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 614
aagtgagtga aagagacaca g 21

<210> 615
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 615
aaagagacac aggaaattac a 21

<210> 616
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 616
aagagacaca ggaaattaca c 21

<210> 617
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 617
aaattacact gtcattcctta c 21

<210> 618
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 618
aattacactg tcatccttac c 21

<210> 619
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 619
aatcccatTT caaaggagaa g 21

<210> 620
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 620
aaaggagaag cagagccatg t 21

<210> 621
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 621
aaggagaagc agagccatgt g 21

<210> 622
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 622
aagcagagcc atgtggtctc t 21

<210> 623
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 623
aaatctctaa tctctcctgt g 21

<210> 624
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 624
aatctctaatt ctctcctgtg g 21

<210> 625
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 625
aatctctcct gtggattcct a 21

<210> 626
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 626
aaacgctgac atgtacggtc t 21

<210> 627
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 627
aacgctgaca tgtacggtct a 21

<210> 628
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 628
aagagtgcgc caacgagccc a 21

<210> 629
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 629
aacgagccca gccaaagctgt c 21

<210> 630
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 630
aagctgtctc agtgacaaac c 21

<210> 631
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 631
aaaccatac ccttgtgaag a 21

<210> 632
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 632
aaccataacc cttgtgaaga a 21

<210> 633
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 633
aagaatggag aagtgtggag g 21

<210> 634
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 634
aatggagaag tgtggaggac t 21

<210> 635
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 635
aagtgtggag gacttccagg g 21

<210> 636
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 636
aaataaaatt gaagttaata a 21

<210> 637
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 637
aataaaattg aagttaataa a 21

<210> 638
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 638
aaaattgaag ttaataaaaa t 21

<210> 639
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 639
aaattgaagt taataaaaaat c 21

<210> 640
<211> 21
<212> DNA
<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 640

aattgaagtt aataaaaatc a

21

<210> 641

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 641

aagttaataa aaatcaattt g

21

<210> 642

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 642

aataaaaatc aatttgctct a

21

<210> 643

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 643

aaaaatcaat ttgctctaatt t

21

<210> 644

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 644

aaaatcaatt tgctctaatt g

21

<210> 645

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 645

aaatcaattt gctctaattg a

21

<210> 646

<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 646
aatcaatttg ctctaattga a 21

<210> 647
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 647
aatttgctct aattgaagga a 21

<210> 648
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 648
aattgaagga aaaaacaaaa c 21

<210> 649
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 649
aaggaaaaaa caaaactgta a 21

<210> 650
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 650
aaaaaacaaa actgtaagta c 21

<210> 651
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 651
aaaaacaaaa ctgtaagtac c 21

<210> 652
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 652
aaaacaaaac tgtaagtacc c 21

<210> 653
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 653
aaacaaaact gtaagtaccc t 21

<210> 654
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 654
aacaaaactg taagtaccct t 21

<210> 655
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 655
aaaactgtaa gtacccttgt t 21

<210> 656
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 656
aaactgtaag tacccttggt a 21

<210> 657
<211> 21

<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 657
aactgtaagt acccttggtta t 21

<210> 658
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 658
aagtaccctt gttatccaag c 21

<210> 659
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 659
aagcggcaaa tgtgtcagct t 21

<210> 660
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 660
aaatgtgtca gctttgtaca a 21

<210> 661
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 661
aatgtgtcag ctttgtacaa a 21

<210> 662
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 662
aaatgtgaag cggtaacaa a 21

<210> 663
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 663
aatgtgaagc ggtcaacaaa g 21

<210> 664
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 664
aagcgggtcaa caaagtcggg a 21

<210> 665
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 665
aacaaaagtcg ggagaggaga g 21

<210> 666
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 666
aaagtcggga gaggagagag g 21

<210> 667
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 667
aagtcgggag aggagagagg g 21

<210> 668
<211> 21
<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 668

aaattacttt gcaacctgac a

21

<210> 669

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 669

aattactttg caacctgaca t

21

<210> 670

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 670

aacctgacat gcagcccact g

21

<210> 671

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 671

aacctcacat ggtacaagct t

21

<210> 672

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 672

aagcttggcc cacagcctct g

21

<210> 673

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 673

aatccatgtg ggagagttgc c 21

<210> 674
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 674
aagaacttgg atactctttg g 21

<210> 675
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 675
aacttggata ctctttggaa a 21

<210> 676
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 676
aaattgaatg ccaccatggt c 21

<210> 677
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 677
aattgaatgc caccatgttc t 21

<210> 678
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 678
aatgccacca tgttctctaa t 21

<210> 679
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 679
aatagcacia atgacatttt g 21

<210> 680
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 680
aatgacatt ttgatcatgg a 21

<210> 681
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 681
aatgacattt tgatcatgga g 21

<210> 682
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 682
aagaatgcat ccttgcagga c 21

<210> 683
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 683
aatgcatcct tgcaggacca a 21

<210> 684
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 684
aaggagacta tgtctgcctt g 21

<210> 685
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 685
aagacaggaa gaccaagaaa a 21

<210> 686
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 686
aagaccaaga aaagacattg c 21

<210> 687
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 687
aagaaaagac attgcgtggt c 21

<210> 688
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 688
aaaagacatt gcgtggtcag g 21

<210> 689
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 689
aaagacattg cgtggtcagg c 21

<210> 690
<211> 21
<212> DNA
<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 690

aagacattgc gtggtcaggc a

21

<210> 691

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 691

aaacctggag aatcagacga c

21

<210> 692

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 692

aacctggaga atcagacgac a

21

<210> 693

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 693

aatcagacga caagtattgg g

21

<210> 694

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 694

aagtattggg gaaagcatcg a

21

<210> 695

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 695

aaagcatcga agtctcatgc a

21

<210> 696
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 696
aagcatcgaa gtctcatgca c 21

<210> 697
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 697
aatccccctc cacagatcat g 21

<210> 698
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 698
aaagataatg agacccttgt a 21

<210> 699
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 699
aagataatga gacccttgta g 21

<210> 700
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 700
aatgagaccc ttgtagaaga c 21

<210> 701
<211> 21
<212> DNA
<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 701

aagactcagg cattgtattg a

21

<210> 702

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 702

aaggatggga accggaacct c

21

<210> 703

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 703

aaccggaacc tcactatccg c

21

<210> 704

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 704

aacctcacta tccgcagagt g

21

<210> 705

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 705

aaggaggacg aaggcctcta c

21

<210> 706

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 706

aaggcctcta cacctgccag g

21

<210> 707

<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 707
aaaagtggag gcatttttca t 21

<210> 708
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 708
aaagtggagg catttttcat a 21

<210> 709
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 709
aagtggaggc atttttcata a 21

<210> 710
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 710
aatagaaggt gcccaggaaa a 21

<210> 711
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 711
aaggtgccca ggaaaagacg a 21

<210> 712
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 712
aaaagacgaa cttggaaatc a 21

<210> 713
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 713
aaagacgaac ttggaaatca t 21

<210> 714
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 714
aagacgaact tggaaatcat t 21

<210> 715
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 715
aacttggaatc tcattattct a 21

<210> 716
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 716
aatcattat tctagtaggc a 21

<210> 717
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 717
aatcattatt ctagtaggca c 21

<210> 718
<211> 21

<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 718
aagcgggcca atggagggga a 21

<210> 719
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 719
aatggagggg aactgaagac a 21

<210> 720
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 720
aactgaagac aggctacttg t 21

<210> 721
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 721
aagacaggct acttgtccat c 21

<210> 722
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 722
aactcccatt ggatgaacat t 21

<210> 723
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 723
aacattgtga acgactgcct t 21

<210> 724
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 724
aacgactgcc ttatgatgcc a 21

<210> 725
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 725
aaatgggaat tccccagaga c 21

<210> 726
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 726
aatgggaatt ccccagagac c 21

<210> 727
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 727
aattccccag agaccggtg a 21

<210> 728
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 728
aagctaggta agcctcttgg c 21

<210> 729
<211> 21
<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 729

aagcctcttg gccgtggtgc c

21

<210> 730

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 730

aagtgattga agcagatgcc t

21

<210> 731

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 731

aagcagatgc ctttggaatt g

21

<210> 732

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 732

aattgacaag acagcaactt g

21

<210> 733

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 733

aagacagcaa cttgcaggac a

21

<210> 734

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 734

aacttgcagg acagtagcag t 21

<210> 735
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 735
aaaatgttga aagaaggagc a 21

<210> 736
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 736
aaatgttgaa agaaggagca a 21

<210> 737
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 737
aatgttgaaa gaaggagcaa c 21

<210> 738
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 738
aaagaaggag caacacacag t 21

<210> 739
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 739
aagaaggagc aacacacagt g 21

<210> 740
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 740
aaggagcaac acacagtgag c 21

<210> 741
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 741
aacacacagt gagcatcgag c 21

<210> 742
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 742
aactcaagat cctcattcat a 21

<210> 743
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 743
aagatcctca ttcatattgg t 21

<210> 744
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 744
aatgtggtca accttctagg t 21

<210> 745
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 745
aaccttctag gtgcctgtac c 21

<210> 746
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 746
aagccaggag ggccactcat g 21

<210> 747
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 747
aattctgcaa atttgaaac c 21

<210> 748
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 748
aaatttgaa acctgtccac t 21

<210> 749
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 749
aatttgaaa cctgtccact t 21

<210> 750
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 750
aaacctgtcc acttacctga g 21

<210> 751
<211> 21
<212> DNA
<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 751

aacctgtcca ottacctgag g

21

<210> 752

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 752

aagagaaatg aatttgtccc c

21

<210> 753

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 753

aatgaattt gtcccctaca a

21

<210> 754

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 754

aatgaatttg tcccctacaa g

21

<210> 755

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 755

aatttgtccc ctacaagacc a

21

<210> 756

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 756

aagaccaaag gggcacgatt c

21

<210> 757
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 757
aaaggggcac gattccgtca a 21

<210> 758
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 758
aaggggcacg attccgtcaa g 21

<210> 759
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 759
aagggaaaga ctacgttgga g 21

<210> 760
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 760
aaagactacg ttggagcaat c 21

<210> 761
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 761
aagactacgt tggagcaatc c 21

<210> 762
<211> 21
<212> DNA
<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 762

aatccctgtg gatctgaaac g

21

<210> 763

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 763

aaacggcgct tggacagcat c

21

<210> 764

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 764

aacggcgctt ggacagcatc a

21

<210> 765

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 765

aagtcctca gtgatgtaga a

21

<210> 766

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 766

aagaagagga agctcctgaa g

21

<210> 767

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 767

aagaggaagc tcctgaagat c

21

<210> 768

<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 768
aaagctcctga agatctgtat a 21

<210> 769
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 769
aagatctgta taaggacttc c 21

<210> 770
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 770
aaaggacttcc tgaccttgga g 21

<210> 771
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 771
aaagtggtctaa gggcatggag t 21

<210> 772
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 772
aaagggcatgg agttcttggc a 21

<210> 773
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 773
aaagtgtatc cacagggacc t 21

<210> 774
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 774
aagtgtatcc acagggacct g 21

<210> 775
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 775
aaatatcctc ttatcggaga a 21

<210> 776
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 776
aatatcctct tatcggagaa g 21

<210> 777
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 777
aatatcctct tatcggagaa g 21

<210> 778
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 778
aagaacgtgg ttaaaatctg t 21

<210> 779
<211> 21

<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 779
aacgtggta aaatctgtga c 21

<210> 780
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 780
aaaatctgtg actttggctt g 21

<210> 781
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 781
aaatctgtga ctttggcttg g 21

<210> 782
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 782
aatctgtgac tttggcttgg c 21

<210> 783
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 783
aaagatccag attatgtcag a 21

<210> 784
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 784
aagatccaga ttatgtcaga a 21

<210> 785
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 785
aaaaggagat gctcgctcc c 21

<210> 786
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 786
aaaggagatg ctgcctccc t 21

<210> 787
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 787
aaggagatgc tcgcctccct t 21

<210> 788
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 788
aaatggatgg cccagaaac a 21

<210> 789
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 789
aatggatggc cccagaaaca a 21

<210> 790
<211> 21
<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 790

aaacaatttt tgacagagtg t

21

<210> 791

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 791

aacaattttt gacagagtgt a

21

<210> 792

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 792

aatttttgac agagtgtaca c

21

<210> 793

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 793

aatccagagt gacgtctggt c

21

<210> 794

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 794

aaatatatttc cttaggtgct t

21

<210> 795

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 795

aatattttcc ttaggtgctt c 21

<210> 796
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 796
aaagattgat gaagaatttt g 21

<210> 797
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 797
aagattgatg aagaattttg t 21

<210> 798
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 798
aagaattttg taggcgattg a 21

<210> 799
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 799
aattttgtag gcgattgaaa g 21

<210> 800
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 800
aaagaaggaa ctagaatgag g 21

<210> 801
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 801
aagaaggaac tagaatgagg g 21

<210> 802
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 802
aaggaactag aatgagggcc c 21

<210> 803
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 803
aactagaatg agggcccctg a 21

<210> 804
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 804
aatgagggcc cctgattata c 21

<210> 805
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 805
aaatgtacca gaccatgctg g 21

<210> 806
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 806
aatgtaccag accatgctgg a 21

<210> 807
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 807
aacatttggg aaatctcttg c 21

<210> 808
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 808
aaatctcttg caagctaag c 21

<210> 809
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 809
aatctcttgc aagctaagc t 21

<210> 810
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 810
aagctaagc tcagcaggat g 21

<210> 811
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 811
aatgctcagc aggatggcaa a 21

<210> 812
<211> 21
<212> DNA
<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 812

aaagactaca ttgttcttcc g

21

<210> 813

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 813

aagactacat tgttcttccg a

21

<210> 814

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 814

aagaggattc tggactctct c

21

<210> 815

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 815

aagtatgtga ccccaaattc c

21

<210> 816

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 816

aaattccatt atgacaacac a

21

<210> 817

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 817

aattccatta tgacaacaca g

21

<210> 818
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 818
aacacagcag gaatcagtca g 21

<210> 819
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 819
aatcagtcag tatctgcaga a 21

<210> 820
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 820
aacagtaagc gaaagagccg g 21

<210> 821
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 821
aagcgaaaga gccggcctgt g 21

<210> 822
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 822
aaagagccgg cctgtgagtg t 21

<210> 823
<211> 21
<212> DNA
<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 823

aagagccggc ctgtgagtgt a

21

<210> 824

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 824

aaaaacattt gaagatatcc c

21

<210> 825

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 825

aaaacatttg aagatatccc g

21

<210> 826

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 826

aaacatttga agatatcccg t

21

<210> 827

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 827

aacatttgaa gatatcccg t

21

<210> 828

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 828

aagatatccc gttagaagaa c

21

<210> 829

<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 829
aagaaccaga agtaaaagta a 21

<210> 830
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 830
aaccagaagt aaaagtaatc c 21

<210> 831
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 831
aagtaaaagt aatcccagat g 21

<210> 832
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 832
aaaagtaatc ccagatgaca a 21

<210> 833
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 833
aaagtaatcc cagatgacaa c 21

<210> 834
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 834
aagtaatccc agatgacaac c 21

<210> 835
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 835
aatcccagat gacaaccaga c 21

<210> 836
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 836
aaccagacgg acagtggat g 21

<210> 837
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 837
aagagctgaa aactttggaa g 21

<210> 838
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 838
aaaactttgg aagacagaac c 21

<210> 839
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 839
aaactttgga agacagaacc a 21

<210> 840
<211> 21

<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 840
aactttggaa gacagaacca a 21

<210> 841
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 841
aagacagaac caaattatct c 21

<210> 842
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 842
aaccaaatta tctccatctt t 21

<210> 843
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 843
aaattatctc catcttttgg t 21

<210> 844
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 844
aattatctcc atcttttggg g 21

<210> 845
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 845
aatggtgccc agcaaaagca g 21

<210> 846
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 846
aaaagcaggg agtctgtggc a 21

<210> 847
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 847
aaagcaggga gtctgtggca t 21

<210> 848
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 848
aagcaggag tctgtggcat c 21

<210> 849
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 849
aaggctcaaa ccagacaagc g 21

<210> 850
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 850
aaaccagaca agcggctacc a 21

<210> 851
<211> 21
<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 851

aaccagacaa gcggctacca g

21

<210> 852

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 852

aagcggctac cagtccggat a

21

<210> 853

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 853

aagcagaact tttaaagctg a

21

<210> 854

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 854

gacatactta caattaaggc t

21

<210> 855

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 855

gatttggtcc tgatggtaac a

21

<210> 856

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 856

ttttgagcac cttaactata g 21

<210> 857
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 857
gagccatgtg gtctctctgg t 21

<210> 858
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 858
ggtgatctcc ttccacgtga c 21

<210> 859
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 859
gtggtcaggc agctcacagt c 21

<210> 860
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 860
cggtgattgc catgttcttc t 21

<210> 861
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Targeting sequence

<400> 861
ttctaggtgc ctgtaccaag c 21

<210> 862
<211> 21
<212> DNA
<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 862

tgtatccaca gggacctggc g

21

<210> 863

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 863

taccagacca tgctggactg c

21

<210> 864

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Targeting sequence

<400> 864

ttatctccat cttttggtgg a

21